




## ***INTRODUZIONE ALLA RICERCA BIBLIOGRAFICA in CINAHL***

***Dott.ssa Nicoletta Lumina***

**22 e 29 novembre 2018, ore 16.00 – 17.30  
AULA A2, Edificio Polifunzionale di Medicina**



# PROGRAMMA

- ***LA RICERCA BIBLIOGRAFICA: concetti base***
- ***BANCHE DATI: cosa sono, contenuto e struttura***
- ***CINAHL: contenuto e struttura***
- ***CINAHL: ricerca di base e avanzata, link a full text***
- ***CINAHL: ricerca con intestazioni CINAHL***
- ***CINAHL: gestione dei risultati della ricerca***
- ***CINAHL: ulteriori strumenti e risorse***
- ***CINAHL: Continuing education modules***
- ***LA RICERCA BIBLIOGRAFICA: consigli finali***

# La ricerca bibliografica (1)

E' quel processo che ci permette di soddisfare un bisogno informativo.

Le finalità della ricerca bibliografica **condotta all'interno di una banca dati** possono essere molteplici:

- «**fotografare**» lo stato dell'arte di un argomento di nostro interesse
- mantenere un **aggiornamento regolare** su un determinato argomento
- ottenere una risposta ad un **quesito specifico**

# La ricerca bibliografica (2)

In base quindi al nostro bisogno informativo il risultato della ricerca sarà quello di:

- **ottenere una bibliografia (lista di documenti)**
- **ottenere una risposta precisa, cioè un dato fattuale**, al nostro quesito (ad es. un valore, la composizione di un farmaco, etc.)

# Banche dati: cosa sono

- Si tratta di **archivi elettronici di dati**, omogenei per contenuto e per formato, strutturati in modo tale da poter essere ricercati grazie ad uno o più criteri o parole chiave
- Le banche dati **raccolgono e organizzano** informazioni di varia natura
- In base al tipo di informazioni che contengono, vengono suddivise in **PRIMARIE (o FATTUALI)** e **SECONDARIE (o BIBLIOGRAFICHE)**

# Banche dati: cosa contengono (1)

- **BANCA DATI FATTUALE:** consente l'accesso diretto ai dati (es.: **JCR**, per ottenere l'Impact Factor di un periodico; **CODIFA**, banca dati del farmaco; **CAS Registry** per strutture chimiche). Ottingo immediatamente l'informazione che sto cercando
- **BANCA DATI BIBLIOGRAFICA:** contiene un insieme di citazioni bibliografiche che rimandano ai documenti cui si riferiscono (es.: **PUBMED**; **CINAHL**; **EMBASE**). Ho bisogno di un ulteriore passaggio per ottenere ciò che mi serve

# Banche dati: cosa contengono (2)

- La distinzione tra le due tipologie di banche dati, grazie alla tecnologia, si sta facendo sempre più sfumata: **le banche dati bibliografiche contengono sempre più frequentemente il collegamento al testo pieno (full text) dei documenti cui si riferiscono.**

# Banche dati: come sono strutturate (1)

- Nel caso di una banca dati bibliografica, l'unità informativa elementare è costituita dalla **citazione bibliografica** (detta anche **record bibliografico**)
- Possiamo quindi definire una banca dati anche come un **insieme strutturato di record**
- Ogni **record**, a sua volta, è scomponibile in unità più piccole, chiamate **campi** (es.: autore, titolo dell'articolo, titolo del periodico, data di pubblicazione, abstract, termini MESH in Pubmed o Subject Headings in Cinahl)

## Banche dati: come sono strutturate (2)

Da quanto detto finora consegue che **ogni campo costituisce un punto di accesso al record**, perché ogni campo contiene un'informazione **rilevante** relativa al documento.

## Associations Between **Sleep** Quality and **Migraine** Frequency: A Cross-Sectional Case-Control Study.

<b>Autore:</b>	Yu-Kai Lin; Guan-Yu Lin; Jiunn-Tay Lee; Meei-Shyuan Lee; Chia-Kuang Tsai; Yu-Wei Hsu; Yu-Zhen Lin; Yi-Chien Tsai; Fu-Chi Yang; Lin, Yu-Kai; Lin, Guan-Yu; Lee, Jiunn-Tay; Lee, Meei-Shyuan; Tsai, Chia-Kuang; Hsu, Yu-Wei; Lin, Yu-Zhen; Tsai, Yi-Chien; Yang, Fu-Chi
<b>Appartenenza:</b>	Department of Neurology, Tri-Service General Hospital, National Defense Medical Center, Taipei, Taiwan School of Public Health, National Defense Medical Center, Taipei, Taiwan From the Department of Neurology (Y-KL, G-YL, J-TL, C-KT, Y-WH, F-CY), Tri-Service General Hospital, National Defense Medical Center, Taipei, Taiwan; and School of Public Health (M-SL, Y-ZL, Y-CT), National Defense Medical Center, Taipei, Taiwan
<b>Fonte:</b>	<a href="#">Medicine</a> (MEDICINE), Apr2016; 95(17): 1-7. (7p)
<b>Tipo di pubblicazione:</b>	journal article - research, tables/charts
<b>Lingua:</b>	English
<b>Argomenti principali:</b>	<a href="#">Migraine</a> -- <a href="#">Epidemiology</a>
<b>Argomenti minori:</b>	<a href="#">Middle Age</a> ; <a href="#">Chronic Disease</a> ; <a href="#">Disability Evaluation</a> ; <a href="#">Adult</a> ; <a href="#">Male</a> ; <a href="#">Case Control Studies</a> ; <a href="#">Female</a> ; <a href="#">Cross Sectional Studies</a> ; <a href="#">Health Screening</a> ; <a href="#">Taiwan</a> ; <a href="#">Human</a> ; <a href="#">Scales</a>
<b>Riassunto:</b>	<p><b>Migraine</b> has been associated with <b>sleep</b> disturbances. Relationship between <b>sleep</b> quality and <b>migraine</b> frequency is yet to be determined. The present study aimed to investigate <b>sleep</b> disturbances among low-frequency, moderate-frequency, high-frequency, and chronic migraineurs, with and without auras, with well-controlled confounding variables. This cross-sectional controlled study included 357 subjects from an outpatient headache clinic in Taiwan. Standardized questionnaires were utilized to collect demographic, <b>migraine</b>, <b>sleep</b>, depression, anxiety, and restless leg syndrome characteristics in all participants. According to frequency of <b>migraine</b> attacks, patients were divided into 4 groups: with 1 to 4 <b>migraine</b> days per month, 5 to 8 <b>migraine</b> days in a month, 9 to 14 <b>migraine</b> days in a month, and &gt;14 <b>migraine</b> days per month. The Pittsburgh Sleep Quality Index (PSQI) and subgroup items were used to evaluate <b>sleep</b> quality. The association between <b>migraine</b> frequency and <b>sleep</b> quality was investigated using multivariable linear regression and logistic regression. The PSQI total score was highest in patients with high frequent <b>migraine</b> (<math>10.0 \pm 3.4</math>) and lowest in controls (<math>7.0 \pm 3.4</math>) with a significant trend analysis (<math>P</math> for trend = 0.006). <b>Migraine</b> frequency had an independent effect on the items "Cannot get to <b>sleep</b> within 30 minutes" (<math>P &lt; 0.001</math>), "Wake up in the middle of the night or early morning" (<math>P &lt; 0.001</math>), "Bad dreams" (<math>P = 0.001</math>), "Pain" (<math>P = 0.004</math>), and "Quality of <b>sleep</b>" (<math>P &lt; 0.001</math>). The result showed the effect of <b>migraine</b> frequency in both the aura-present (<math>P</math> for trend = 0.008) and the aura-absent subgroups (<math>P</math> for trend = 0.011). High <b>migraine</b> frequency correlates with poor <b>sleep</b> quality and a higher prevalence of poor sleepers. These associations occur in <b>migraine</b> with aura and without aura.</p>
<b>Sottoinsieme rivista:</b>	Biomedical; Editorial Board Reviewed; Expert Peer Reviewed; Peer Reviewed; USA
<b>Strumentazione:</b>	Pittsburgh Sleep Quality Index (PSQI)
<b>ISSN:</b>	0025-7974
<b>Informazioni MEDLINE:</b>	PMID: 27124064 NLM UID: 2985248R
<b>Data immissione:</b>	20170204
<b>Data revisione:</b>	20180614
<b>ID centrale PubMed:</b>	PMC4998727
<b>DOI:</b>	<a href="http://dx.doi.org/10.1097/MD.0000000000003554">http://dx.doi.org/10.1097/MD.0000000000003554</a>
<b>Numero di sistema:</b>	115150651

# CINAHL: cos'è e cosa contiene (1)

## Cumulative Index to Nursing and Allied Health Literature

E' la banca dati d'elezione per il settore infermieristico e per gli operatori delle professioni sanitarie. L'accesso è a pagamento.

La versione «Plus with full-text», sottoscritta dal nostro Ateneo:

- indicizza al momento circa **5500 periodici**
- contiene più di **6 milioni di citazioni bibliografiche**
- contiene il full-text di circa 1300 periodici
- copertura cronologica dal 1937

# CINAHL: cos'è e cosa contiene (2)

Offre una copertura completa dei periodici di lingua inglese afferenti all'infermieristica e delle pubblicazioni prodotte dalla National League for Nursing e American Nurses Association.

Le citazioni bibliografiche presenti non si riferiscono esclusivamente ad articoli pubblicati su riviste scientifiche, ma anche a: libri e capitoli di libri, atti di convegno, tesi di ambito infermieristico; protocolli; linee guida; audiovisivi.

# CINAHL: l'accesso

**UNIVERSITÀ DEGLI STUDI DI BRESCIA** **unibs.it**

Cerca nel portale  @Mail

Ateneo Didattica Ricerca

> PIANO STRATEGICO > DIPARTIMENTI > LABORATORI INTERDIPARTIMENTALI **BIBLIOTECHE** Servizi online

### Sistema Bibliotecario di Ateneo

- > Organizzazione
- > Servizi
- > Cerca e trova risorse
- > Relazioni e statistiche
- > Biblioteca di Economia e Giurisprudenza
- > Biblioteca di Ingegneria
- > **Biblioteca di Medicina**
  - > Presentazione
  - > Elenco personale
  - > Patrimonio
  - > Guide e materiali informativi

Home - Biblioteche

## Biblioteca di Ingegneria e Medicina - Sede di Medicina

Sede: Edificio di Medicina e Chirurgia in Viale Europa, 11.

Orari:

- Biblioteca: lunedì-venerdì 8.30-17.45.
- Sale studio ad accesso libero (adiacenti alla biblioteca): lunedì-giovedì 8.00-18.30, venerdì 8.00-17.45.

**Sede**

Viale Europa, 11 - 25123 Brescia  
Tel. +390303717368  
biblioteca.med@unibs.it

### News ed eventi

altre news - altri eventi -

#### Reaxys SCI Early Career Researcher Awards 2018: accesso in trial a Reaxys e Reaxys Medicinal Chemistry

Nell'ambito del premio "Reaxys SCI Early Career Researcher Awards 2018", l'editore Elsevier ha attivato un mese d'accesso gratuito tramite trial a Reaxys (...)

#### Taylor and Francis Journals

Attivato l'accesso ai circa 2.200 periodici compresi nelle collezioni principali del gruppo editoriale Taylor & Francis (T.&F., Routledge, Psychology Press, Informa Healthcare, etc). Leggi il testo completo della notizia (...)

#### Modifiche al "Regolamento delle attività e dei servizi delle Biblioteche"

Si avvisa che con Decreto Rettorale n. 70 del 22 Gennaio emanato "Regolamento delle attività e dei servizi delle Biblioteche" (continua a leggere...)

- Futuro studente
- International students
- Studenti e Laureati
- Personale docente
- Personale tecnico amministrativo
- Aziende ed enti

### Pagine Correlate

- > Cerca e trova risorse - Sistema Bibliotecario di Ateneo

### Siti correlati

- > Catalogo
- > ACNP - Periodici UniBS (integrato con SFX)
- > Cerca una rivista o un e-book
- > Cerca un articolo
- > Risorse elettroniche - Elenco completo
- > UniBS Discovery
- > PubMed (integrato con SFX)
- > Web of Science



UNIVERSITÀ  
DEGLI STUDI  
DI BRESCIA

unibs.it

[@Mail](#)[Ateneo](#)[Didattica](#)[Ricerca](#)[Studenti internazionali](#)[CORSI DI STUDIO](#)[> DIPARTIMENTI](#)[> LABORATORI INTERDIPARTIMENTALI](#)[BIBLIOTECHE](#)[Servizi online](#)[Home](#) > [Biblioteche](#)

## Sistema Bibliotecario di Ateneo

[> Organizzazione](#)[> Servizi](#)[> Cerca e trova risorse](#)[> Patrimonio](#)[> Cataloghi delle monografie e dei periodici cartacei](#)[> Biblioteca digitale](#)[> Accesso off-campus](#)[> SIRIO e SFX](#)[> UniBS Discovery](#)[> Relazioni e statistiche](#)[> Biblioteca di Economia e Giurisprudenza](#)[> Biblioteca di Ingegneria](#)[> Biblioteca di Medicina](#)

## Cerca e trova risorse - Sistema Bibliotecario di Ateneo

[> Patrimonio](#)[> Cataloghi delle monografie e dei periodici cartacei](#)[> Biblioteca digitale](#)[> Accesso off-campus](#)[> SIRIO e SFX](#)[> UniBS Discovery](#)

In questa sezione vengono presentate le risorse cartacee e digitali del Sistema Bibliotecario di Ateneo e gli strumenti che consentono di interrogarle ed accedervi.

[Futuro studente](#)[International students](#)[Studenti e Laureati](#)[Personale docente](#)[Personale tecnico amministrativo](#)[Aziende ed enti](#)

### Contatti

UOS Risorse elettroniche  
[risorse.elettroniche@unibs.it](mailto:risorse.elettroniche@unibs.it)

### Siti correlati

[> Catalogo](#)[> ACNP - Periodici UniBS \(integrato con SFX\)](#)[> Cerca una rivista / Cerca un e-book](#)[> Cerca un articolo](#)[> Risorse elettroniche - Elenco completo](#)[> UniBS Discovery](#)

# Sistema Bibliotecario di Ateneo

› Organizzazione

› Servizi

▼ Cerca e trova risorse

› Patrimonio

› Cataloghi delle monografie e dei periodici cartacei

**Biblioteca digitale** ›

› Accesso off-campus

› SIRIO e SFX

› UniBS Discovery

› Relazioni e statistiche

› Biblioteca di Economia e Giurisprudenza

› Biblioteca di Ingegneria

› Biblioteca di Medicina

## Biblioteca digitale

La Biblioteca digitale raccoglie e rende disponibile un'ampia ed aggiornata selezione di risorse elettroniche:

- banche dati;
- periodici elettronici;
- e-book.

La maggior parte di queste risorse è accessibile grazie a contratti sottoscritti dal Sistema Bibliotecario di Ateneo; soltanto un numero limitato è fruibile gratuitamente.

Si ricorda che la consultazione delle risorse elettroniche è riservata esclusivamente agli utenti istituzionali. Se non diversamente indicato, l'accesso può avvenire da tutti i PC e i dispositivi connessi alla rete di ateneo e dall'esterno previa autenticazione (si vedano le istruzioni alla pagina [Accesso off-campus](#)).

Download, stampa e copia di documenti sono consentiti, in modo non sistematico, per uso personale di studio o ricerca e non a scopo di lucro, nella misura prevista dalle singole licenze.

L'elenco che segue presenta in ordine alfabetico le principali risorse elettroniche disponibili. Per ciascuna di queste si fornisce una breve descrizione e, se necessario, si rimanda a un'apposita pagina di approfondimento. Cliccando sui nomi delle singole risorse si accede direttamente alle loro interfacce (i siti web di banche dati, periodici, editori, aggregatori etc.) per la consultazione e la navigazione.

Molti altri periodici elettronici, qui non elencati, sono accessibili tramite SIRIO-SFX dal link "Cerca una rivista".

### Risorse elettroniche

#### ACM Digital Library

Tipo risorsa: banche dati, periodici, e-book.

Banca dati bibliografica specializzata nel settore del computing. Consente inoltre l'accesso al full text delle pubblicazioni dell'ACM (Association for Computing Machinery): periodici (circa 130 titoli), conference proceeding (circa 5.150 titoli), newsletter etc.

#### ACS Publications

Tipo risorsa: periodici.

Collezione di circa 50 periodici full text pubblicati dall'American Chemical Society (ACS) nel campo della chimica, delle scienze farmaceutiche e degli ambiti correlati.



International students



Studenti e Laureati



Personale docente



Personale tecnico amministrativo



Aziende ed enti

## Contatti

UOS Risorse elettroniche  
[risorse.elettroniche@unibs.it](mailto:risorse.elettroniche@unibs.it) ✉

## Pagine Correlate

› [Accesso off-campus](#)

› [Limiti nella riproduzione di documenti](#)

## Siti correlati

› [UniBS Discovery](#)

› [Risorse elettroniche - Elenco completo](#)

› [Cerca una rivista / Cerca un e-book](#)


› [Cerca un articolo](#)

› [Risorse elettroniche - Diritto](#)

› [Risorse elettroniche - Economia](#)

› [Risorse elettroniche - Ingegneria](#)

› [Risorse elettroniche - Medicina](#)



### CEI - MyNorma

*Consultazione possibile solo presso la Biblioteca di Ingegneria, rivolgendosi al personale.*

Tipo risorsa: banche dati.

Banca dati del Comitato Elettrotecnico Italiano (CEI), associazione di diritto privato senza scopo di lucro, responsabile in ambito nazionale della normazione tecnica in campo elettrotecnico, elettronico e delle telecomunicazioni. L'abbonamento sottoscritto permette di accedere a tutte le norme CEI.

### Cell Press

Tipo risorsa: periodici.

Accesso ad alcune riviste full text di Cell Press (Elsevier), editore specializzato nella pubblicazione di periodici nel settore biomedico: Current Biology, Structure, Cell, Immunity, Molecular Cell, Neuron, Developmental Cell, Cancer Cell, American Journal of Human Genetics.

### CINAHL Plus with Full Text

Tipo risorsa: banche dati, periodici, e-book.

Banca dati di EBSCO nel settore dell'infermieristica. Raccoglie milioni di riferimenti bibliografici e consente l'accesso al full text di oltre 770 periodici, ai quali si aggiungono 275 libri, capitoli di libri, tesi, conference proceeding, standard e altre risorse.

### CLOCKSS: Control

Tipo risorsa: perio

Archivio internazio

formato digitale (i

collaborano grand

biblioteche tutti i

(es. chiusura di un

ai vecchi numeri

Anche: fisioterapia, nutrizione,  
logopedia, salute generale, medicina  
complementare e alternativa

scientifiche in

cui

e delle

### Cochrane Library

Tipo risorsa: banche dati.

Risorsa nel campo della medicina basata sulle prove di efficacia (Evidence-Based Medicine: EBM). È realizzata dalla Cochrane, organizzazione internazionale non profit, ed è pubblicata da Wiley. Comprende sette diverse banche dati: sei che contengono prove di efficacia e altri elementi utili per supportare il processo decisionale nell'assistenza sanitaria, una che fornisce informazioni sui Gruppi Cochrane. La banca dati principale è il Cochrane Database of Systematic Reviews (CDSR), costantemente aggiornato, che include le revisioni sistematiche, i protocolli e gli editoriali.

# CINAHL: ricerca di base



Stai cercando: [CINAHL Plus with Full Text](#) | [Scegli database](#)

Suggestisci soggetti

Immettere una parola per trovare libri, riviste ecc.

Cerca

Opzioni di ricerca | **Ricerca di base** | Ricerca avanzata | Cronologia ricerche

Per avere a disposizione  
maschera di ricerca e  
comandi in una lingua  
diversa dall'italiano

## Opzioni di ricerca

Reimposta

### Modalità di ricerca e espansori

#### Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

#### Applica parole correlate

#### Cerca anche nel testo completo degli articoli

#### Applica argomenti equivalenti

### Limita i risultati

#### Testo completo

#### Riassunto disponibile

#### Pubblicazione

#### Riferimenti disponibili

#### Data di pubblicazione

Mese  Anno:  - Mese  Anno:

#### Lingua inglese



Stai cercando: **CINAHL Plus with Full Text** | [Scegli database](#)

Suggestisci soggetti

**Cerca** 



[Opzioni di ricerca ▾](#)   [Ricerca di base](#)   [Ricerca avanzata](#)   [Cronologia ricerche](#)

### Opzioni di ricerca

Reimposta

#### Modalità di ricerca e espansori

##### Modalità ricerca

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

##### Applica parole correlate

##### Cerca anche nel testo completo degli articoli

##### Applica argomenti equivalenti

#### Limita i risultati

##### Testo completo



##### Riferimenti disponibili



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

UNIVERSITA DEGLI STUDI  
DI BRESCIA

Suggestisci soggetti

sinusitis

Seleziona un campo (facoltativo) ▾

Cerca



AND ▾

Seleziona un campo (facoltativo) ▾

Cancella ?

AND ▾

Seleziona un campo (facoltativo) ▾



[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche](#)

### Opzioni di ricerca

Reimposta

#### Modalità di ricerca e espansori

Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

Applica parole correlate

Cerca anche nel testo completo degli articoli

Applica argomenti equivalenti

#### Limita i risultati

Testo completo



Riassunto disponibile

Autore

Riferimenti disponibili

Data di pubblicazione

Mese ▾ Anno:  - Mese ▾ Anno:

Pubblicazione



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

Suggestisci soggetti

Seleziona un campo (facoltativo) ▾ Cerca

AND ▾  Seleziona un campo (facoltativo) ▾ Cancella ?

AND ▾  Seleziona un campo (facoltativo) ▾ + -

UNIVERSITA DEGLI STUDI  
DI BRESCIA

[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche](#) ▶

### Filtra risultati

#### Ricerca attuale ▾

##### Booleano/frase:

sinusitis

##### Limitatori

Testo completo

#### Limita a ▾

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

Data di

pubblicazione



**Filtro/limite temporale**

Risultati della ricerca: 1 - 50 di 346

Rilevanza ▾ | Opzioni pagina ▾ |  Condividi ▾

## 1. Comparison between the Effects of Oral and Intramuscular Administration of Shin'iseihaito (Xinyiqingfeitang) in a Streptococcus pyogenes-Induced Murine Sinusitis Model.



Pubblicazione  
e  
accademica

(includes abstract) Minami, Masaaki; Konishi, Toru; Takase, Hiroshi; Makino, Toshiaki; Evidence-based Complementary & Alternative Medicine (eCAM), 5/2/2018; 1-8. (8p) (Article - pictorial, research, tables/charts) ISSN: 1741-427X AN: 129397126

Abstract: *Streptococcus pyogenes* (*S. pyogenes*) is a species of Gram-positive coccoid bacteria having many virulence factors. Its capsule and exotoxins can cause upper respiratory tract infections such as sinusitis. The general treatment for *S. pyogenes*-induced sinusitis is administration of antibiotics such as penicillin and macrolides; however, a serious problem associated with these antibiotics is their attenuated effect. Shin'iseihaito (Xinyiqingfeitang), a formula of Japanese traditional Kampo medicine and traditional Chinese medicine, has been used for the treatment of sinusitis. In general, formulas of Japanese traditional Kampo medicine are orally administered. This is in contrast to certain formulas of traditional Chinese medicine, which are being recently administered intramuscularly or intravenously. Regarding these traditional Chinese medicine formulas, the injection methodology is reported to be more effective than oral intake. In this study, we compared the efficacy between orally and intramuscularly administered Shin'iseihaito against *S. pyogenes*-induced sinusitis. We evaluated the antibacterial effect of Shin'iseihaito extract (SSHT) against *S. pyogenes* by K-B disk diffusion assay. Furthermore, we investigated the nasal colonization of *S. pyogenes*, determined cytokine (TNF- $\alpha$ , IL-1 $\beta$ , and IL-6) levels, and conducted a splenocyte



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

UNIVERSITA DEGLI STUDI  
DI BRESCIA

Suggerisci soggetti

sinusitis Seleziona un campo (facoltativo) ▾ Cerca

AND ▾ Seleziona un campo (facoltativo) ▾ Cancella ?

AND ▾ Seleziona un campo (facoltativo) ▾ + -

[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche ▶](#)

### Filtra risultati

#### Ricerca attuale

##### Booleano/frase:

sinusitis

##### Limitatori

Testo completo

Data di pubblicazione:

20080101-20181231

#### Limita a

Testo completo

Riferimenti disponibili

Riassunto disponibile

2008 Data di 2018

pubblicazione

Risultati della ricerca: 1 - 50 di 164

Rilevanza ▾ | Opzioni pagina ▾

Condividi ▾

## 1. Comparison between the Effects of Oral and Intramuscular Administration of Shin'iseihaito (Xinyiqingfeitang) in a Streptococcus pyogenes-Induced Murine Sinusitis Model.



Pubblicazioni  
e  
accademica

(includes abstract) Minami, Masaaki; Konishi, Toru; Takase, Hiroshi; Makino, Toshiaki; Evidence-based Complementary & Alternative Medicine (eCAM), 5/2/2018; 1-8. (8p) (Article - pictorial, research, tables/charts) ISSN: 1741-427X AN: 129397126

Abstract: *Streptococcus pyogenes* (*S. pyogenes*) is a species of Gram-positive coccoid bacteria having many virulence factors. Its capsule and exotoxins can cause upper respiratory tract infections such as sinusitis. The general treatment for *S. pyogenes*-induced sinusitis is administration of antibiotics such as penicillin and macrolides; however, a serious problem associated with these antibiotics is their attenuated effect. Shin'iseihaito (Xinyiqingfeitang), a formula of Japanese traditional Kampo medicine and traditional Chinese medicine, has been used for the treatment of sinusitis. In general, formulas of Japanese traditional Kampo medicine are orally administered. This is in contrast to certain formulas of traditional Chinese medicine, which are being recently administered intramuscularly or intravenously. Regarding these traditional Chinese medicine formulas, the injection methodology is reported to be more effective than oral intake. In this study, we compared the efficacy between orally and intramuscularly administered Shin'iseihaito against *S. pyogenes*-induced sinusitis. We evaluated the

# CINAHL: ricerca avanzata

Nuova ricerca   Pubblicazioni   Intestazioni CINAHL   Fogli informativi basati su prove di efficacia   Altro ▾   Accedi   Cartella   Preferenze   Lingue ▾   Guida

Stai cercando: **CINAHL Plus with Full Text** | Scegli database

Suggerisci soggetti

  Seleziona un campo (facoltativo) ▾   **Cerca**

AND -    Seleziona un campo (facoltativo) ▾   Cancellare ?

AND -    Seleziona un campo (facoltativo) ▾   + -

Ricerca di base   **Ricerca avanzata**   Cronologia ricerche

## Opzioni di ricerca

Per ampliare la ricerca a sinonimi, varianti linguistiche e plurali

Reimposta

### Modalità di ricerca e espansori

#### Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

#### Applica parole correlate

#### Cerca anche nel testo completo degli articoli

#### Applica argomenti equivalenti

Questa opzione consente di inserire un testo anche corposo nella finestra di ricerca: una frase, un paragrafo, una pagina intera

#### Riferimenti disponibili

#### Data di pubblicazione

Mese ▾ Anno:  - Mese ▾ Anno:

#### Pubblicazione

#### Rivisti da esperti

#### Escludi Pre-CINAHL

#### Escludi record MEDLINE

#### Autore

#### Lingua inglese

#### Articolo di ricerca

#### Includi solo Pre-CINAHL



Stai cercando: CINAHL Plus with Full Text | Scegli database

UNIVERSITA DEGLI STUDI DI BRESCIA

Suggestisci soggetti

migraine

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾ sleep

Seleziona un campo (facoltativo) ▾

Cancela ?

AND ▾

Seleziona un campo (facoltativo) ▾

+ -

[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche](#)



### Opzioni di ricerca

Reimposta

#### Modalità di ricerca e espansori

Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

Frase esatta;  
Operatore di prossimità (N5)

Operatore logico AND

Operatore logico OR

Applica parole correlate

Cerca anche nel testo completo degli articoli

Termini equivalenti

#### Limita i risultati

Testo completo

Riassunto disponibile

Autore

Lingua inglese

Articolo di ricerca

Includi solo Pre-CINAHL

Riferimenti disponibili

Data di pubblicazione

Mese ▾ Anno:  - Mese ▾ Anno:

Pubblicazione

Rivisti da esperti

Escludi Pre-CINAHL

Escludi record MEDLINE

# Gli operatori booleani (1)

- Gli operatori booleani (o operatori logici) permettono di combinare in vario modo più concetti all'interno della stessa ricerca, stabilendo quindi una particolare relazione tra i termini
- Anche in CINAHL, come in Pubmed, sono utilizzabili i tre più noti:

**AND, OR, NOT**

# Gli operatori booleani (2)


- **AND** recupera documenti che contengono entrambi i termini. Eseguce il prodotto logico.
- **OR** recupera documenti che contengono almeno uno dei due termini, oppure entrambi. Eseguce la somma logica.
- **NOT (BUTNOT)** recupera documenti che contengono solo il primo dei due termini, escludendo il secondo o i documenti in cui ci sia compresenza dei due. Esprime la differenza logica.

# Gli operatori booleani (3)

- **AND e OR** : l'ordine dei termini non condiziona il risultato finale
- **NOT** invece esclude l'insieme relativo al termine digitato in seconda posizione (cambiando l'ordine, il risultato sarà completamente diverso).


# Gli operatori booleani (4)

- ***digestive system AND liver*** : i documenti contengono contemporaneamente digestive system e liver




# Gli operatori booleani (5)

- ***digestive system OR liver*** : i documenti contengono o digestive system, o liver, oppure entrambi;



# Gli operatori booleani (6)

- ***digestive system NOT liver*** : i documenti contengono solo digestive system, escludendo quelli in cui è presente anche liver.





Stai cercando: CINAHL Plus with Full Text | Scegli database

UNIVERSITA DEGLI STUDI DI BRESCIA

Suggestisci soggetti

migraine Seleziona un campo (facoltativo) ▾

AND ▾ sleep Seleziona un campo (facoltativo) ▾

AND ▾ Seleziona un campo (facoltativo) ▾

Cerca

Cancella ?



Ricerca di base | Ricerca avanzata | Cronologia ricerche ▶

### Filtra risultati

#### Ricerca attuale

Booleano/frase:  
migraine AND sleep

#### Limita a

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

1989 Data di pubblicazione 2018

Mostra di più

#### Tipi di documento

- Tutti i risultati
- Pubblicazioni accademiche (313)
- Riviste (42)
- CEU (Moduli di unità formative) (6)

Risultati della ricerca: 1 - 50 di 440

Rilevanza ▾ | Opzioni pagina ▾ | Condividi ▾

## 1. Associations Between Sleep Quality and Migraine Frequency: A Cross-Sectional Case-Control Study.



Pubblicazione  
e  
accademica

(includes abstract) Yu-Kai Lin; Guan-Yu Lin; Jiunn-Tay Lee; Meei-Shyuan Lee; Chia-Kuang Tsai; Yu-Wei Hsu; Yu-Zhen Lin; Yi-Chien Tsai; Fu-Chi Yang; Lin, Yu-Kai; Lin, Guan-Yu; Lee, Jiunn-Tay; Lee, Meei-Shyuan; Tsai, Chia-Kuang; Hsu, Yu-Wei; Lin, Yu-Zhen; Tsai, Yi-Chien; Yang, Fu-Chi; Medicine, Apr2016; 95(17): 1-7. (7p) (journal article) ISSN: 0025-7974 PMID: 27124064 PMCID: PMC4998727 AN: 115150651

Abstract: **Migraine** has been associated with **sleep** disturbances. Relationship between **sleep** quality and **migraine** frequency is yet to be determined. The present study aimed to investigate **sleep** disturbances among low-frequency, moderate-frequency, high-frequency, and chronic migraineurs, with and without auras, with well-controlled confounding variables. This cross-sectional controlled study included 357 subjects from an outpatient headache clinic in Taiwan. Standardized questionnaires were utilized to collect demographic, **migraine**, **sleep**, depression, anxiety, and restless leg syndrome characteristics in all participants. According to frequency of **migraine** attacks, patients were divided into 4 groups: with 1 to 4 **migraine** days per month, 5 to 8 **migraine** days in a month, 9 to 14 **migraine** days in a month, and >14 **migraine** days per month. The Pittsburgh Sleep Quality Index (PSQI) and subgroup items were used to evaluate **sleep** quality. The association between **migraine** frequency and **sleep** quality was investigated using multivariable linear regression and logistic regression. The PSQI total score was highest in patients with high frequent **migraine** (10.0±3.4) and lowest in controls (7.0±3.4) with a significant trend analysis (P for trend=0.006). **Migraine** frequency had an independent effect on the items "Cannot get to **sleep** within 30 minutes" (P<0.001), "Wake up in the middle of the night or early morning" (P<0.001), "Bad dreams" (P=0.001), "Pain" (P=0.004), and "Quality of **sleep**" (P<0.001). The result showed the effect of **migraine** frequency in both the aura-present (P for trend=0.008) and the aura-absent subgroups (P for trend=0.011). High **migraine** frequency correlates with poor **sleep** quality and a higher prevalence of poor sleepers. These associations occur in **migraine** with aura and without aura.

**Argomenti:** Migraine Epidemiology; Middle Aged: 45-64 years; Adult: 19-44 years; Male; Female



PlumX Metrics





Stai cercando: **CINAHL Plus with Full Text** | Scegli database

Suggestisci soggetti

migraine Seleziona un campo (facoltativo) ▾

**AND ▾** sleep Seleziona un campo (facoltativo) ▾

AND ▾ Seleziona un campo (facoltativo) ▾

**Cerca**

Cancela 



[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche](#) ▶

**Filtra risultati**

Ricerca attuale ▾

Booleano/frase:  
migraine AND sleep

Limitatori

Data di pubblicazione:   
20130101-20181231

Limita a ▾

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

2013 Data di pubblicazione 2018



[Mostra di più](#)

Tipi di documento ▾

- Tutti i risultati
- Pubblicazioni accademiche (95)
- Riviste (3)

**Risultati della ricerca: 1 - 50 di 182**

Rilevanza ▾ | Opzioni pagina ▾ |  Condividi ▾

1. **Associations Between Sleep Quality and Migraine Frequency: A Cross-Sectional Case-Control Study.** 



Pubblicazione  
e  
accademica

(includes abstract) Yu-Kai Lin; Guan-Yu Lin; Jiunn-Tay Lee; Meei-Shyuan Lee; Chia-Kuang Tsai; Yu-Wei Hsu; Yu-Zhen Lin; Yi-Chien Tsai; Fu-Chi Yang; Lin, Yu-Kai; Lin, Guan-Yu; Lee, Jiunn-Tay; Lee, Meei-Shyuan; Tsai, Chia-Kuang; Hsu, Yu-Wei; Lin, Yu-Zhen; Tsai, Yi-Chien; Yang, Fu-Chi; Medicine, Apr2016; 95(17): 1-7. (7p) (journal article) ISSN: 0025-7974 PMID: 27124064 PMCID:

PMC4998727 AN: 115150651

Abstract: **Migraine** has been associated with **sleep** disturbances. Relationship between **sleep** quality and **migraine** frequency is yet to be determined. The present study aimed to investigate **sleep** disturbances among low-frequency, moderate-frequency, high-frequency, and chronic migraineurs, with and without auras, with well-controlled confounding variables. This cross-sectional controlled study included 357 subjects from an outpatient headache clinic in Taiwan. Standardized questionnaires were utilized to collect demographic, **migraine**, **sleep**, depression, anxiety, and restless leg syndrome characteristics in all participants. According to frequency of **migraine** attacks, patients were divided into 4 groups: with 1 to 4 **migraine** days per month, 5 to 8 **migraine** days in a month, 9 to 14 **migraine** days in a month, and >14 **migraine** days per month. The Pittsburgh **Sleep** Quality Index (PSQI) and subgroup items were used to evaluate **sleep** quality. The association between **migraine** frequency and **sleep** quality was investigated using multivariable linear regression and logistic regression. The PSQI total score was highest in patients with high frequent **migraine** ( $10.0 \pm 3.4$ ) and lowest in controls ( $7.0 \pm 3.4$ ) with a significant trend analysis ( $P$  for trend = 0.006). **Migraine** frequency had an independent effect on the items "Cannot get to **sleep** within 30 minutes" ( $P < 0.001$ ), "Wake up in the middle of the night or early morning" ( $P < 0.001$ ), "Bad dreams" ( $P = 0.001$ ), "Pain" ( $P = 0.004$ ), and "Quality of **sleep**" ( $P < 0.001$ ). The result showed the effect of **migraine** frequency in both the aura-present ( $P$  for trend = 0.008) and the aura-absent subgroups ( $P$  for trend = 0.011). High **migraine** frequency correlates with poor **sleep** quality and a higher prevalence of poor sleepers. These associations occur in **migraine** with aura and without aura.

**Argomenti:** Migraine Epidemiology; Middle Aged: 45-64 years; Adult: 19-44 years; Male; Female



Suggestisci soggetti

migraine

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾ sleep

Seleziona un campo (facoltativo) ▾

Cancela ?

AND ▾

Seleziona un campo (facoltativo) ▾

+ -

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche](#)

**Opzioni per restringere/precisare (1)**

### Opzioni di ricerca

Reimposta

#### Modalità di ricerca e espansori

##### Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

##### Applica parole correlate

##### Cerca anche nel testo completo degli articoli

##### Applica argomenti equivalenti

#### Limita i risultati

##### Testo completo

##### Riassunto disponibile

##### Autore

##### Lingua inglese

##### Articolo di ricerca

##### Includi solo Pre-CINAHL

##### Modulo CE

##### Riferimenti disponibili

##### Data di pubblicazione

Mese ▾ Anno:  - Mese ▾ Anno:

##### Pubblicazione

##### Rivisti da esperti

##### Escludi Pre-CINAHL

##### Escludi record MEDLINE

##### Assistenza basata su prove di efficacia



**Metanalisi, linee guida, rassegne sistematiche**

Query cliniche

- Tutto
- Therapy - High Sensitivity
- Therapy - High Specificity
- Therapy - Best Balance

Prove controllate randomizzate

Sottoinsieme geografico

- Tutto
- Africa
- Asia
- Australia & New Zealand

Sesso

- Tutto
- Female
- Male

Gruppi di età

- Tutto
- Fetus, Conception to Birth
- Infant, Newborn: birth-1 month
- Infant: 1-23 months

Numero di pagine

Tutto

Tipi di immagine Quick View

- Fotografia in bianco e nero
- Fotografia a colori
- Grafico
- Mappa
- Cartina
- Diagramma
- Illustrazione

es.: Nursing Core Nursing



Opzioni per restringere/precisare (2)

Umano

Primo autore infermiere

Almeno un autore infermiere

Sottoinsieme rivista

- Tutto
- Africa
- Allied Health
- Alternative/Complementary Therapies

Tipo di pubblicazione

- Tutto
- Abstract
- Algorithm
- Anecdote

Gravidanza

Pazienti interni

Pazienti ambulatoriali

Interesse speciale

- Tutto
- Advanced Nursing Practice
- Case Management
- Chiropractic Care

es.: Gerontologic care Nursing education



PDF testo completo

Immagine Quick View

Lingua

- Tutto
- Afrikaans
- Arabic
- Chinese

Cerca

Suggerisci soggetti

migraine

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾

sleep

Seleziona un campo (facoltativo) ▾

Cancella ?

AND ▾

Seleziona un campo (facoltativo) ▾

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche](#)

Limitare i risultati dopo un primo step di ricerca (a)

## Filtra risultati

## Ricerca attuale

## Booleano/frase:

migraine AND sleep

## Limitatori

Data di pubblicazione:  20130101-20181231

## Limita a

 Testo completo Riferimenti disponibili Riassunto disponibile

2013 Data di pubblicazione 2018

[Mostra di più](#)

## Tipi di documento

 Tutti i risultati Pubblicazioni accademiche (95) Riviste (3)

## Argomento: titolo principale

 migraine (81) headache (32) sleep disorders (18) comorbidity (17)

Risultati della ricerca: 1 - 50 di 182

Rilevanza ▾ Opzioni pagina ▾ [Condividi](#) ▾

## 1. Associations Between Sleep Quality and Migraine Frequency: A Cross-Sectional Case-Control Study



(includes abstract) Yu-Kai Lin; Guan-Yu Lin; Jiunn-Tay Lee; Meei-Shyuan Lee; Chia-Kuang Tsai; Yu-Wei Hsu; Yu-Zhen Lin; Yi-Chien Tsai; Fu-Chi Yang; Lin, Yu-Kai; Lin, Guan-Yu; Lee, Jiunn-Tay; Lee, Meei-Shyuan; Tsai, Chia-Kuang; Hsu, Yu-Wei; Lin, Yu-Zhen; Tsai, Yi-Chien; Yang, Fu-Chi; Medicine, Apr2016; 95(17): 1-7. (7p) (journal article - research, tables/charts) ISSN: 0025-7974 PMID: 27124064 PMCID: PMC4998727 AN: 115150651

Pubblicazione  
e  
accademica

Abstract: Migraine has been associated with sleep disturbances. Relationship between sleep quality and migraine frequency is yet to be determined. The present study aimed to investigate sleep disturbances among low-frequency, moderate-frequency, high-frequency, and chronic migraineurs, with and without auras, with well-controlled confounding variables. This cross-sectional controlled study included 357 subjects from an outpatient headache clinic in Taiwan. Standardized questionnaires were utilized to collect demographic, migraine, sleep, depression, anxiety, and restless leg syndrome characteristics in all participants. According to frequency of migraine attacks, patients were divided into 4 groups: with 1 to 4 migraine days per month, 5 to 8 migraine days in a month, 9 to 14 migraine days in a month, and >14 migraine days per month. The Pittsburgh Sleep Quality Index (PSQI) and subgroup items were used to evaluate sleep quality. The association between migraine frequency and sleep quality was investigated using multivariable linear regression and logistic regression. The PSQI total score was highest in patients with high frequent migraine (10.0±3.4) and lowest in controls (7.0±3.4) with a significant trend analysis (P for trend=0.006). Migraine frequency had an independent effect on the items "Cannot get to sleep within 30 minutes" (P<0.001), "Wake up in the middle of the night or early morning" (P<0.001), "Bad dreams" (P=0.001), "Pain" (P=0.004), and "Quality of sleep" (P<0.001). The result showed the effect of migraine frequency in both the aura-present (P for trend=0.008) and the aura-absent subgroups (P for trend=0.011). High migraine frequency correlates with poor sleep quality and a higher prevalence of poor sleepers. These associations occur in migraine with aura and without aura.

**Argomenti:** Migraine Epidemiology; Middle Aged: 45-64 years; Adult: 19-44 years; Male; Female

PlumX Metrics

## 2. Pathway Interventions and Systemic Lupus Erythematosus: The Case of Mary Anne



(includes abstract) Moss, Donald; Biofeedback, Summer2016; 44(2): 73-80. (8p) (Article) ISSN: 1081-5937 AN: 116414489

Pubblicazione  
e  
accademica

Abstract: Systemic lupus erythematosus (SLE) is a complex and typically chronic illness, producing a wide variety of symptoms and an unpredictable course. SLE is an autoimmune condition, commonly affecting the skin, joints, kidneys, brain, and other organs. This article describes the application of a multilevel integrative care plan, following the pathways model, to assist a patient with SLE in managing and moderating symptoms and improving quality of life. The patient, Mary Anne, was a 33-year-old female nurse with a 14-year history of SLE. Her initial response to lupus was biomedical, with a passive reliance on a wide range of medications and an increasingly inactive, sedentary lifestyle. Along with lupus she developed obesity, hypertension, migraine, sleep disturbance, depression, and anxiety. Her rheumatologist referred her for behavioral health interventions to help her to learn nonpharmacologic forms of pain management and motivate her for illness self-management for her various chronic conditions. The interventions were organized into the three levels of the pathways model and included Level 1, movement, sleep hygiene, and mindful eating; Level 2, aquatherapy, an illness self-management support group, and a mindfulness class; and Level 3, heart rate variability (HRV) biofeedback, self-hypnosis training with healing imagery, a nutrition consultation, and a sleep medicine clinic. This patient mastered excellent skills with self-hypnosis, paced breathing, and HRV biofeedback. She sustained increased physical activity and a modified diet. At the 3-year point, she reported less frequent pain and joint swelling, less nausea and sick feeling, moderate improvement in sleep, and less frequent and less

Tipi di documento

- Tutti i risultati
- Pubblicazioni accademiche (95)
- Riviste (3)

Argomento: titolo principale

- migraine (81)
- headache (32)
- sleep disorders (18)
- comorbidity (17)
- sleep (16)
- depression (9)

Mostra di più

Pubblicazione

Editore

Lingua

- english (181)
- persian (1)

Età

- all adult (67)
- adult: 19-44 years (59)
- middle aged: 45-64 years (41)
- all child (36)
- adolescent: 13-18 years (28)
- child: 6-12 years (22)

Mostra di più

Sesso

Geografia

migraine frequency in both the aura-present ( $P$  for trend=0.008) and the aura-absent subgroups ( $P$  for trend=0.011). High migraine frequency correlates with poor sleep quality and a higher prevalence of poor sleepers. These associations occur in migrain

**Argomenti:** Migraine Epidemiology; Middle Aged: 45-64 years; Adult: 19-44 years; Male; Female



Limitare i risultati dopo un primo step di ricerca (b)

## 2. Pathway Interventions and Systemic Lupus Erythematosus: The Case of Mary Anne.



Pubblicazione accademica

(includes abstract) Moss, Donald; Biofeedback, Summer2016; 44(2): 73-80. (8p) (Article) ISSN: 1081-5937 AN: 116414489

Abstract: Systemic lupus erythematosus (SLE) is a complex and typically chronic illness, producing a wide variety of symptoms and an unpredictable course. SLE is an autoimmune condition, commonly affecting the skin, joints, kidneys, brain, and other organs. This article describes the application of a multilevel integrative care plan, following the pathways model, to assist a patient with SLE in managing and moderating symptoms and improving quality of life. The patient, Mary Anne, was a 33-year-old female nurse with a 14-year history of SLE. Her initial response to lupus was biomedical, with a passive reliance on a wide range of medications and an increasingly inactive, sedentary lifestyle. Along with lupus she developed obesity, hypertension, **migraine**, **sleep** disturbance, depression, and anxiety. Her rheumatologist referred her for behavioral health interventions to help her to learn nonpharmacologic forms of pain management and motivate her for illness self-management for her various chronic conditions. The interventions were organized into the three levels of the pathways model and included Level 1, movement, **sleep** hygiene, and mindful eating; Level 2, aquatherapy, an illness self-management support group, and a mindfulness class; and Level 3, heart rate variability (HRV) biofeedback, self-hypnosis training with healing imagery, a nutrition consultation, and a **sleep** medicine clinic. This patient mastered excellent skills with self-hypnosis, paced breathing, and HRV biofeedback. She sustained increased physical activity and a modified diet. At the 3-year point, she reported less frequent pain and joint swelling, less nausea and sick feeling, moderate improvement in **sleep**, and less frequent and less severe Lupus flares.

**Argomenti:** Shift Workers; Hypnosis; Osteopathy; Lupus Erythematosus, Systemic; Heart Rate Variability; **Sleep** Hygiene; Self Care; Support Groups; Adult: 19-44 years; Female



## 3. The Impact of Fibromyalgia on Disability, Anxiety, Depression, Sleep Disturbance, and Quality of Life in Patients with Migraine.



Pubblicazione accademica

(includes abstract) SERDAROĞLU BEYAZAL, Münevver; TÜFEKÇİ, Ahmet; KIRBAŞ, Serkan; TOPALOĞLU, Mehmet Serhat; Archives of Neuropsychiatry / Noropsikiatri Arsvi, jun2018; 55(2): 140-145. (6p) (Article - research, tables/charts) ISSN: 1300-0667 AN: 130037453

Abstract: Introduction: The aim of the present study was to assess the impact of fibromyalgia (FM) comorbidity on disability, anxiety, depression, **sleep** disturbance, and quality of life in patients with **migraine**. Methods: Eighty-six consecutive **migraine** patients (age, 35.4±10.3 years; 69 women and 17 men) were enrolled in the study. The headache characteristics of the patients were recorded. FM was diagnosed based on the 1990 American College of Rheumatology classification criteria for the diagnosis of FM. All patients were asked to complete self-report questionnaires, including the Fibromyalgia Impact Questionnaire (FIQ), Headache Impact Test (HIT-6), **Migraine** Disability Assessment Questionnaire (MDAS), Pittsburgh **Sleep** Quality Index (PSQI), Beck Depression Inventory (BDI), Beck Anxiety Inventory (BAI), and the 36-Item Short Form Survey (SF-36) to assess their pain-related disability, **migraine**-related disability, depression, anxiety, **sleep** disturbance, and quality of life. Results: Of the **migraine** patients, 28 (32.6%) met the criteria for FM. **Migraine** patients with FM showed significantly increased **migraine** frequency and BDI, BAI, and PSQI scores and decreased quality of life scores for all eight domains of the SF-36 compared to patients with **migraine** alone, whereas the mean HIT-6 and MIDAS values did not differ between the groups. FIQ score showed statistically significant positive correlations with BDI, BAI, PSQI, and MIDAS scores and with headache frequency ( $p<0.001$ ,  $r=0.657$ ;  $p<0.001$ ,  $r=0.730$ ;  $p<0.001$ ,  $r=0.754$ ;  $p=0.005$ ,  $r=0.300$ ;  $p=0.008$ ,  $r=0.286$ , respectively); FIQ score showed negative correlations with scores for all domains of the SF-36. In multivariate linear regression analysis, BDI, BAI, and PSQI scores independently predicted FIQ score. Conclusion: Our study results demonstrate the significant impact of FM comorbidity on anxiety, depression, **sleep** disturbance, and quality of life in this population. FM evaluation and treatment should be considered in the routine care of patients with **migraine** to globally improve the patient's quality of life.

**Argomenti:** Fibromyalgia Psychosocial Factors; Anxiety; Depression; **Sleep** Disorders; Quality of Life; **Migraine**; Comorbidity; Disabled; Middle Aged: 45-64 years; Adult: 19-44 years; Female; Male



# CINAHL: ricerca con intestazioni CINAHL

Nuova ricerca   Pubblicazioni   **Intestazioni CINAHL**   Fogli informativi basati su prove di efficacia   Altro ▾

Accedi    Cartella   Preferenze   Lingue ▾   Guida

Stai cercando: **CINAHL Plus with Full Text** | Scegli database

Suggestisci soggetti

  Seleziona un campo (facoltativo) ▾   **Cerca**

AND -    Seleziona un campo (facoltativo) ▾   [Cancella ?](#)

AND -    Seleziona un campo (facoltativo) ▾   [+](#) [-](#)

[Ricerca di base](#)   [Ricerca avanzata](#)   [Cronologia ricerche](#)

UNIVERSITÀ DEGLI STUDI DI  
BRESCIA

## Opzioni di ricerca

Voci di soggetto che descrivono il contenuto degli articoli indicizzati in CINAHL (MESH in Pubmed)

[Reimposta](#)

### Modalità di ricerca e espansori

#### Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

#### Applica parole correlate

#### Cerca anche nel testo completo degli articoli

#### Applica argomenti equivalenti

### Limita i risultati

#### Testo completo

#### Riassunto disponibile

#### Autore

#### Lingua inglese

#### Articolo di ricerca

#### Includi solo Pre-CINAHL

#### Riferimenti disponibili

#### Data di pubblicazione

Mese ▾ Anno:  - Mese ▾ Anno:

#### Pubblicazione

#### Rivisti da esperti

#### Escludi Pre-CINAHL

#### Escludi record MEDLINE



Database: CINAHL Plus with Full Text <sup>?</sup>

UNIVERSITÀ DEGLI STUDI  
DI BRESCIA

1

Ricerca di base   Ricerca avanzata   Cronologia ricerche

CINAHL Headings  [Visualizza tutorial](#)

migraine

Sfogliala

Termine inizia con    Termine contiene    Ordinato per importanza

### Risultati per: migraine

Cerca nel database

↳ Selezionare la casella per visualizzare i sottotitoli.   Fare clic sul collegamento del termine per ottenere dettagli

Espandi (+) <sup>?</sup>   Concetto principale   Ambito

Cerca termine   Espandi (+)   Concetto principale

Selezionare una casella per scegliere una intestazione per l'argomento e iniziare a creare la strategia di ricerca.

2

<input type="checkbox"/>	<a href="#">Migraine</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<a href="#">Tension Headache</a>	<input type="checkbox"/>	<input type="checkbox"/>	
Migraines Usare: <a href="#">Migraine</a>				
<input type="checkbox"/>	<a href="#">Sumatriptan</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<a href="#">Feverfew</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<a href="#">Ergotamine</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<a href="#">Eletriptan</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<a href="#">Dihydroergotamine</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	<a href="#">CADASIL</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	migraine (Cerca come parola chiave) <sup>?</sup>			

← **Torna all'elenco**
**Visualizzazione struttura per: Migraine**
Cerca nel database

Selezionare la casella per visualizzare i sottotitoli. | 
 Fare clic sul collegamento del termine per ottenere dettagli

	Espandi (+)	Concetto principale	Ambito
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Nervous System Diseases</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Central Nervous System Diseases</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Brain Diseases</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Headache</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Headache, Primary</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Migraine</a> ←	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">SUNCT Syndrome</a>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Tension Headache</a>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Trigeminal Autonomic Cephalalgias</a> ↑	<input type="checkbox"/>	<input type="checkbox"/>	

**Cerca termine** | **Espandi (+)** | **Concetto principale**

Selezionare una casella per scegliere una intestazione per l'argomento e iniziare a creare la strategia di ricerca.

Per vedere la struttura gerarchica «ad albero» (paragonabile a quella di Pubmed) con le voci superiori e inferiori relativa alla voce «Migraine», cliccare sulla voce stessa. Questo consente di lavorare a diversi livelli di specificità.

Ricerca di base | Ricerca avanzata | Cronologia ricerche

**Espandi (explode): nella ricerca vengono incluse anche le voci più specifiche**

CINAHL Headings  Visualizza tutorial

Visualizzazione struttura per: **Migraine**

Selezionare la casella per visualizzare i sottotitoli. | Fare clic sul collegamento del termine per ottenere dettagli

	Espandi (+) ?	Concetto principale	Ambito
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Nervous System Diseases</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Central Nervous System Diseases</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Brain Diseases</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Headache</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Headache_Primary</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/> <a href="#">Migraine</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/> <a href="#">SUNCT Syndrome</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/> <a href="#">Tension Headache</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input checked="" type="checkbox"/> <a href="#">Trigeminal Autonomic Cephalalgias</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <input type="checkbox"/> <a href="#">Cluster Headache</a>	<input type="checkbox"/>	<input type="checkbox"/>	

Cerca nel database

Cerca termine | Espandi (+) | Concetto principale

Selezionare una casella per scegliere una intestazione per l'argomento e iniziare a creare la strategia di ricerca.

dal generale (broader terms)

al particolare (narrower terms)

**Concetto principale (major): per cercare soltanto i documenti che trattino in modo rilevante l'argomento selezionato**

**Ambito (scope note): illustra l'argomento**

**Risultati per: migraine** **Subheadings for: Migraine** **Cerca nel database**

Selezionare la casella per visualizzare i sottotitoli. Fare clic sul collegamento del termine per ottenere dettagli

Espandi (+) Concetto principale Ambito

**Migraine**

[Tension Headache](#)

Migraines Usare: [Migraine](#)

[Sumatriptan](#)

[Feverfew](#)

[Ergotamine](#)

[Eletriptan](#)

[Dihydroergotamine](#)

[CADASIL](#)

migraine (Cerca come parola chiave) ?

Prec. Altro | [Sfoggia per termini aggiuntivi](#)

**Includi tutti i sottotitoli**  
Oppure seleziona uno o più sottotitoli per restringere la ricerca

- Blood/BL
- Cerebrospinal Fluid/CF
- Chemically Induced/CI
- Classification/CL
- Complications/CO
- Diagnosis/DI
- Diet Therapy/DH
- Drug Therapy/DT
- Economics/EC
- Education/ED
- Embryology/EM
- Epidemiology/EP
- Ethical Issues/EI
- Ethnology/EH
- Etiology/ET
- Familial And Genetic/FG
- History/HI
- Immunology/IM
- Legislation And Jurisprudence/LJ
- Metabolism/ME
- Microbiology/MI
- Mortality/MO
- Nursing/NU
- Organizations/OG
- Pathology/PA
- Physiopathology/PP

Cerca termine Espandi (+) Concetto principale

Migraine

**Per vedere e utilizzare i sottodescrittori (subheadings), mettere un flag nella casella collocata davanti alla voce stessa**

**Ulteriori sottodescrittori**

**Risultati per: migraine** **Subheadings for: Migraine** **Cerca nel database**

↳ Selezionare la casella per visualizzare i sottotitoli. Fare clic sul collegamento del termine per ottenere dettagli

Espandi (+) ?    Concetto principale    Ambito

Termine	Espandi (+)	Concetto principale	Ambito
<input checked="" type="checkbox"/> <a href="#">Migraine</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Tension Headache</a>	<input type="checkbox"/>	<input type="checkbox"/>	
Migraines Usare: <a href="#">Migraine</a>			
<input type="checkbox"/> <a href="#">Sumatriptan</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Feverfew</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Ergotamine</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Eletriptan</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Dihydroergotamine</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">CADASIL</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> migraine (Cerca come parola chiave) ?			

Prec.    Altro    [Sfoggia per termini aggiuntivi](#)

**Includi tutti i sottotitoli**  
Oppure seleziona uno o più sottotitoli per restringere la ricerca

- Blood/BL
- Cerebrospinal Fluid/CF
- Chemically Induced/CI
- Classification/CL
- Complications/CO
- Diagnosis/DI
- Diet Therapy/DH
- Drug Therapy/DT
- Economics/EC
- Education/ED
- Embryology/EM
- Epidemiology/EP
- Ethical Issues/EI
- Ethnology/EH
- Etiology/ET
- Familial And Genetic/FG
- History/HI
- Immunology/IM
- Legislation And Jurisprudence/LJ
- Metabolism/ME
- Microbiology/MI
- Mortality/MO
- Nursing/NU
- Organizations/OG
- Pathology/PA
- Physiopathology/PP

Cerca termine    Espandi (+)    Concetto principale

[Migraine /DH/D](#)

T

**I sottodescrittori consentono di focalizzare in modo più preciso la ricerca**

Ricerca di base Ricerca avanzata Cronologia ricerche

1

CINAHL Headings  Visualizza tutorial

autism

Sfoggia

Termine inizia con  Termine contiene  Ordinato per importanza

### Risultati per: autism

Cerca nel database

Selezionare la casella per visualizzare i sottotitoli. | Fare clic sul collegamento del termine per ottenere dettagli

Espandi (+)  | Concetto principale | Ambito

Cerca termine | Espandi (+) | Concetto principale

Selezionare una casella per scegliere una intestazione per l'argomento e iniziare a creare la strategia di ricerca.

2

Autism Usare: [Autistic Disorder](#)

[Autistic Disorder](#)

Autism Spectrum Disorders Usare: [Autistic Disorder](#)

Autism Spectrum Disorder Usare: [Autistic Disorder](#)

[Developmental Disabilities](#)

[Asperger Syndrome](#)

autism (Cerca come parola chiave) 

Prec.

Altro

[Sfoggia per termini aggiuntivi](#)

Risultati per: autism

Subheadings for: Autistic Disorder

Cerca nel database

↳ Selezionare la casella per visualizzare i sottotitoli. | Fare clic sul collegamento del termine per ottenere dettagli

Espandi (+) ? | Concetto principale | Ambito

Autism Usare: [Autistic Disorder](#)

[Autistic Disorder](#)

Autism Spectrum Disorders Usare: [Autistic Disorder](#)

Autism Spectrum Disorder Usare: [Autistic Disorder](#)

[Developmental Disabilities](#)

[Asperger Syndrome](#)

autism (Cerca come parola chiave) ?

| [Sfoggia per termini aggiuntivi](#)

**Includi tutti i sottotitoli**  
Oppure seleziona uno o più sottotitoli per restringere la ricerca

- Blood/BL
- Cerebrospinal Fluid/CF
- Chemically Induced/CI
- Classification/CL
- Complications/CO
- Diagnosis/DI
- Diet Therapy/DH
- Drug Therapy/DT
- Economics/EC
- Education/ED
- Epidemiology/EP
- Ethical Issues/EI
- Ethnology/EH
- Etiology/ET
- Familial And Genetic/FG
- History/HI
- Immunology/IM
- Legislation And Jurisprudence/LJ
- Metabolism/ME
- Microbiology/MI
- Mortality/MO
- Nursing/NU
- Pathology/PA
- Physiopathology/PP
- Prevention And Control/PC
- Prognosis/PR

Cerca termine | Espandi (+) | Concetto principale

[Autistic Disorder](#)

Suggestisci soggetti

(MH "Autistic Disorder") Seleziona un campo (facoltativo) ▾

**Cerca**

AND ▾ Seleziona un campo (facoltativo) ▾

Cancel ?

AND ▾ Seleziona un campo (facoltativo) ▾

+ -

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche ▶](#)

**Filtra risultati**

Risultati della ricerca: 1 - 50 di 18,410

Rilevanza ▾

Opzioni pagina ▾

Condividi ▾

Ricerca attuale ▾

Booleano/frase:

(MH "Autistic Disorder")

Limita a ▾

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

1964 Data di pubblicazione 2018



[Mostra di più](#)

Tipi di documento ▾

- Tutti i risultati
- Pubblicazioni accademiche (11,279)

## 1. Sensory Overresponsivity, Loneliness, and Anxiety in Taiwanese Adults with Autism Spectrum Disorder.



Pubblicazioni e accademica

(includes abstract) Syu, Ya-Cing; Lin, Ling-Yi; Occupational Therapy International, 9/2/2018; 1-7. (7p) (Article)  
ISSN: 0966-7903 AN: 131553898

Abstract: Purpose. Sensory overresponsiveness is highly prevalent in individuals with autism spectrum disorders (ASD) and typically persist into adulthood. However, the role of sensory processing difficulties in influencing emotional well-being among adults with ASD remains unclear. Additionally, the associations between sensory overresponsiveness, anxiety, and loneliness are yet to be examined among adults with ASD. Therefore, to address these critical gaps in the literature, we aimed to investigate the relationships among sensory avoiding, anxiety, and loneliness in a sample of adults with ASD. Participants. Seventy adults (age, 20–39 years) completed three self-reported measures. All participants had a documented diagnosis of ASD and had normal IQ. Methods. Sensory processing, loneliness, and anxiety were assessed with the Adult Sensory Profile, short-form UCLA loneliness scale, and Beck Anxiety Inventory, respectively. Results. Autism spectrum traits and sensory avoiding were associated with anxiety and loneliness. Participants who experienced sensory avoiding more frequently reported higher anxiety and feelings of loneliness, with loneliness mediating the relationship between sensory avoiding and anxiety. More anxiety symptoms in participants with greater sensory avoiding were associated with their higher level of loneliness. Conclusion. This study demonstrates that the relationships existed between sensory processing difficulties, loneliness, and anxiety among adults with ASD. Interventions regarding sensory processing difficulties and emotional well-being are substantial need for adults with ASD, and our results highlight the importance of sensory overresponsiveness and anxiety in evaluating and improving the psychological well-being of adults with ASD.

**Argomenti:** Autistic Disorder Diagnosis; Loneliness; Anxiety; Sensory Stimulation Evaluation; Adult: 19-44



CINAHL Headings Visualizza tutorial

pet therapy

Sfoglia



1

Termine inizia con  Termine contiene  Ordinato per importanza

### Risultati per: pet therapy

Cerca nel database

↳ Selezionare la casella per visualizzare i sottotitoli. | Fare clic sul collegamento del termine per ottenere dettagli

Espandi (+) | Concetto principale | Ambito

Cerca termine | Espandi (+) | Concetto principale

	Espandi (+)	Concetto principale	Ambito
<input type="checkbox"/> <a href="#">Pet Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Tomography, Emission-Computed</a>	<input type="checkbox"/>	<input type="checkbox"/>	
Positron-Emission Tomography Usare: <a href="#">Tomography, Emission-Computed</a>			
Pet Therapies Usare: <a href="#">Pet Therapy</a>			
<input type="checkbox"/> <a href="#">Hormone Replacement Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Apitherapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Motion Therapy, Continuous Passive</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Pediatric Physical Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Pediatric Occupational Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Magnet Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Electroconvulsive Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Color Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Manual Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Behavior Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	



2

Selezionare una casella per scegliere una intestazione per l'argomento e iniziare a creare la strategia di ricerca.

Risultati per: pet therapy

Subheadings for: Pet Therapy

Cerca nel database

↳ Selezionare la casella per visualizzare i sottotitoli.

Fare clic sul collegamento del termine per ottenere dettagli

Espandi (+) Concetto principale | Ambito

<input checked="" type="checkbox"/> <a href="#">Pet Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Tomography, Emission-Computed</a>	<input type="checkbox"/>	<input type="checkbox"/>	
Positron-Emission Tomography <b>Usare:</b> <a href="#">Tomography, Emission-Computed</a>			
Pet Therapies <b>Usare:</b> <a href="#">Pet Therapy</a>			
<input type="checkbox"/> <a href="#">Hormone Replacement Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Apitherapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Motion Therapy, Continuous Passive</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Pediatric Physical Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Pediatric Occupational Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Magnet Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Electroconvulsive Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Color Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Manual Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Behavior Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> <a href="#">Testosterone Replacement Therapy</a>	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> pet therapy (Cerca come parola chiave)			

**Includi tutti i sottotitoli**  
Oppure seleziona uno o più sottotitoli per restringere la ricerca

- Adverse Effects/AE
- Classification/CL
- Economics/EC
- Education/ED
- Equipment And Supplies/ES
- Ethical Issues/EI
- Evaluation/EV
- History/HI
- Legislation And Jurisprudence/LJ
- Methods/MT
- Standards/ST
- Statistics And Numerical Data/SN
- Trends/TD
- Utilization/UT

Ogni codice di due lettere rappresenta un sottotitolo, ad esempio AN rappresenta **Analisi**

Cerca termine | Espandi (+) | Concetto principale

[Pet Therapy](#)

Suggestisci soggetti

(MH "Pet Therapy")

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾

Seleziona un campo (facoltativo) ▾

Cancela [?](#)

AND ▾

Seleziona un campo (facoltativo) ▾

+ -

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche](#) ▶

### Filtra risultati

#### Ricerca attuale

##### Booleano/frase:

(MH "Pet Therapy")

#### Limita a

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

1981      Data di      2018  
pubblicazione



[Mostra di più](#)

#### Tipi di documento

- Tutti i risultati
- Pubblicazioni accademiche (536)
- Riviste (356)

Risultati della ricerca: 1 - 50 di 1,149

Rilevanza ▾

Opzioni pagina ▾

Condividi ▾

### 1. Puppy brigade reports for duty.



Periodici

(includes abstract) HESTER, MIRANDA; Contemporary Pediatrics, Dec2017; 34(12): 15-21. (5p) (Article - case study, pictorial, statistics, tables/charts) ISSN: 8750-0507 AN: 126706523

Abstract: The article looks at a therapy dog program at Akron Children's Hospital in Ohio that offers comfort for pediatric patients and families facing the frightening hospital experience. Topics mentioned include percentage of hospitals in the U.S. that allow therapy animals and animal visits, online resources for therapy animal programs and certifications, and the lack of randomized multi-center studies on the efficacy of therapy animals.

**Argomenti:** Pet Therapy; Hospitals, Pediatric



Testo completo in PDF



### 2. Pet dogs as promoters of wellbeing.



Pubblicazioni  
e  
accademica

(includes abstract) While, Alison; British Journal of Community Nursing, Jul2017; 22(7): 332-336. (5p) (Article) ISSN: 1462-4753 AN: 123971644

Abstract: The rise in life expectancy requires strategies to enable healthy ageing and the promotion of a high quality of life in old age. Poor mental health including depression and social isolation can blight older people's lives. Despite the positive benefits of physical activity for both mental and physical health, only a minority of those over 65 years are attaining the recommended levels of physical activity. The evidence relating to the benefits of pet dogs as promoters of wellbeing is set out in this article, although meeting their care needs may

Utilizziamo l'opzione «cronologia ricerche» («history» in Pubmed) per mettere in relazione, scegliendo di volta in volta l'operatore booleano appropriato, i risultati delle ricerche effettuate in precedenza (individuati all'interno di «set»).

In questo caso, i set di ricerca 1 e 2 vengono combinati con l'operatore AND.

EBSCOhost

Stai cercando: CINAHL Plus with Full Text database

Suggestisci soggetti

(MH "Pet Therapy")

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾

Seleziona un campo (facoltativo) ▾

Cancella ?

AND ▾

Seleziona un campo (facoltativo) ▾

+ -

Ricerca di base Ricerca avanzata Cronologia ricerche ▾

UNIVERSITA DEGLI STUDI DI BRESCIA

## Cronologia ricerche/avvisi

[Stampa cronologia ricerche](#) [Recupera ricerche](#) [Recupera avvisi](#) [Salva ricerche / Avvisi](#)

Seleziona / deseleziona tutto

**Cerca con AND** **Cerca con OR** **Elimina ricerche** **Aggiorna risultati della ricerca**

ID ricerca	Cerca termini	Opzioni di ricerca	Azioni
<input type="checkbox"/> S2	(MH "Pet Therapy")	Modalità ricerca - Booleano/frase	<b>Visualizza risultati (1,149)</b> <b>Visualizza dettagli</b> Modifica
<input type="checkbox"/> S1	(MH "Autistic Disorder")	Modalità ricerca - Booleano/frase	<b>Visualizza risultati (18,410)</b> <b>Visualizza dettagli</b> Modifica

La combinazione con AND dei set 1 e 2 produce il set 3.  
A questo punto è possibile sia visualizzare i risultati  
della ricerca, sia apportare ulteriori modifiche alla stessa



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

Suggerisci soggetti

S1 AND S2

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾

Seleziona un campo (facoltativo) ▾

Cancella ?

AND ▾

Seleziona un campo (facoltativo) ▾

+ -

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche ▾](#)

UNIVERSITA DEGLI STUDI  
DI BRESCIA

### Cronologia ricerche/avvisi

[Stampa cronologia ricerche](#) [Recupera ricerche](#) [Recupera avvisi](#) [Salva ricerche / Avvisi](#)

Seleziona / deseleziona tutto

Cerca con AND

Cerca con OR

Elimina ricerche

Aggiorna risultati della ricerca

ID	Cerca termini	Opzioni di ricerca	Azioni
<input type="checkbox"/> S3	S1 AND S2	Modalità ricerca - Booleano/frase	<a href="#">Visualizza risultati (52)</a>   <a href="#">Visualizza dettagli</a> <a href="#">Modifica</a>
<input type="checkbox"/> S2	(MH "Pet Therapy")	Modalità ricerca - Booleano/frase	<a href="#">Visualizza risultati (1,149)</a>   <a href="#">Visualizza dettagli</a> <a href="#">Modifica</a>
<input type="checkbox"/> S1	(MH "Autistic Disorder")	Modalità ricerca - Booleano/frase	<a href="#">Visualizza risultati (18,410)</a>   <a href="#">Visualizza dettagli</a> <a href="#">Modifica</a>

## Filtra risultati

### Ricerca attuale

Booleano/frase:

S1 AND S2

### Limita a

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

1997      Data di pubblicazione      2017



Mostra di più

### Tipi di documento

- Tutti i risultati
- Pubblicazioni accademiche (24)
- Riviste (17)
- Dissertazioni (1)

Mostra di più

Argomento: titolo principale

Pubblicazione

Editore

Lingua

Età

Risultati della ricerca: 1 - 50 di 52

Opzione «visualizza risultati»

Condividi

## 1. Effectiveness of a Standardized Equine-Assisted Therapy Program for Children with Autism Spectrum Disorder.



Pubblicazione  
e  
accademica

(includes abstract) Borgi, Marta; Loliva, Dafne; Cerino, Stefania; Chiarotti, Flavia; Venerosi, Aldina; Bramini, Maria; Nonnis, Enrico; Marcelli, Marco; Vinti, Claudia; Santis, Chiara; Bisacco, Francesca; Fagerlie, Monica; Frascarelli, Massimo; Cirulli, Francesca; Journal of Autism & Developmental Disorders, Jan2016; 46 (1): 1-9. (9p) (Article - research, tables/charts) ISSN: 0162-3257 AN: 112192521

Abstract: In this study the effectiveness of an equine-assisted therapy (EAT) in improving adaptive and executive functioning in children with autism spectrum disorder (ASD) was examined (children attending EAT, n = 15, control group n = 13; inclusion criteria: IQ > 70). Therapeutic sessions consisted in structured activities involving horses and included both work on the ground and riding. Results indicate an improvement in social functioning in the group attending EAT (compared to the control group) and a milder effect on motor abilities. Improved executive functioning was also observed (i.e. reduced planning time in a problem-solving task) at the end of the EAT program. Our findings provide further support for the use of animal-assisted intervention programs as complementary intervention strategies for children with ASD.

**Argomenti:** Autistic Disorder Therapy; Pet Therapy; Horses; Treatment Outcomes; Horseback Riding; Autistic Disorder Rehabilitation; Child: 6-12 years; Adolescent: 13-18 years; Male



Testo completo in PDF



PlumX Metrics

## 2. Additional Evidence is Needed to Recommend Acquiring a Dog to Families of Children with Autism Spectrum Disorder: A Response to Wright and Colleagues...Wright, H. F., Hall, S., Hames, A., Hardiman, J., Mills, R., Mills, D. S., & Team, P. (2015). Acquiring a pet dog significantly reduces stress of primary carers for children with autism spectrum disorder: A prospective case control study. Journal of Autism and Developmental Disorders



Pubblicazione  
e  
accademica

(includes abstract) Crossman, Molly; Kazdin, Alan; In: Journal of Autism & Developmental Disorders; Jan2016; v.46. n.1, 332-335. (4p) (Letter - commentary, letter) ISSN: 0162-3257 AN: 112192514

Abstract: Caregivers of children with autism spectrum disorder are vulnerable to overstated benefits of interventions, and such overstatements are common with interventions involving animals. This response to Wright, Hall, Hames, Hardman, Mills, the Paws Team, and Mills' (2015) article, 'Acquiring a Pet Dog Significantly Reduces Stress of Primary Careers for Children with Autism Spectrum Disorder: A Prospective

- S3 S1 AND S2
- S2 (MH "Pet Thera
- S1 (MH "Autistic D

- [Visualizza dettagli](#)
- [Visualizza dettagli](#)
- [Visualizza dettagli](#)

### Modifica ricerca

**Opzione «modifica» (a)**

Salva Annulla

#### Cerca termini

[Visualizza ricerche dipendenti](#)

#### Opzioni di ricerca

##### Modalità ricerca

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

##### Applica argomenti equivalenti

##### Applica parole correlate

##### Cerca anche nel testo completo degli articoli

#### Filtra risultati

##### Ricerca attuale

**Booleano/frase:**

S1 AND S2

##### Limita a

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

1997 Data di pubblicazione 2017

[Mostra di più](#)

##### Tipi di documento

- Tutti i risultati
- Pubblicazioni accademiche (24)
- Riviste (17)
- Dissertazioni (1)

[Mostra di più](#)

#### Limita i risultati

##### Testo completo



##### Riassunto disponibile

##### Riferimenti disponibili

##### Data di pubblicazione

Mese  Anno:  -  
Mese  Anno:

##### Autore

##### Pubblicazione

##### Lingua inglese

##### Rivisti da esperti

##### Articolo di ricerca

##### Escludi Pre-CINAHL

##### Includi solo Pre-CINAHL

##### Escludi record MEDLINE

##### Modulo CE

##### Assistenza basata su prove di efficacia

- Argomento, titolo principale
- Publicazione >
- Editore >
- Lingua >
- Età >
- Sesso >
- Geografia >

**Query cliniche**

Tutto  
Therapy - High Sensitivity  
Therapy - High Specificity  
Therapy - Best Balance

**Almeno un autore infermiere**

**Sottoinsieme rivista**

Tutto  
Africa  
Allied Health  
Alternative/Complementary Therapies

**Tipo di pubblicazione**

Tutto  
Abstract  
Algorithm  
Anecdote

**Gravidanza**

**Pazienti ambulatoriali**

**Interesse speciale**

Tutto  
Advanced Nursing Practice  
Case Management  
Chiropractic Care

**Immagine Quick View**

**Lingua**

Tutto  
Afrikaans  
Arabic  
Chinese

**Opzione «modifica» (b)**

**Umano**

**Primo autore infermiere**

**Prove controllate randomizzate**

**Sottoinsieme geografico**

Tutto  
Africa  
Asia  
Australia & New Zealand

**Sesso**

Tutto  
Female  
Male

**Pazienti interni**

**Gruppi di età**

Tutto  
Fetus, Conception to Birth  
Infant, Newborn: birth-1 month  
Infant: 1-23 months

**Numero di pagine**

Tutto

**PDF testo completo**

**Tipi di immagine Quick View**

Fotografia in bianco e nero     Cartina  
 Diagramma     Grafico  
 Illustrazione     Mappa



# CINAHL: gestire i risultati della ricerca (1)

Risultati della ricerca: 1 - 50 di 52

Rilevanza ▾ Opzioni pagina ▾ Condividi ▾

1. Effectiveness of a Standardized Equine-Assisted Therapy Program for Children with Autism Spectrum Disorder

 (includes abstract) Borgi, Marta; Loliva, Dafne; Maria; Nonnis, Enrico; Marcelli, Marco; Vinti, Monica; Frascarelli, Massimo; Cirulli, Francesca; ...; Pirotti, Flavia; Venerosi, Aldina; Bramini, Bisacco, Francesca; Fagerlie, ...; Journal of Autism and Developmental Disorders, Jan2016; 46 (1): 1-9. (9p) (Article - research, tables/charts) ISSN: 0162-3257 AN: 112192521

Pubblicazione e accademica

Abstract: In this study the effectiveness of an equine-assisted therapy (EAT) in improving adaptive and executive functioning in children with autism spectrum disorder (ASD) was examined (children attending EAT, n = 15, control group n = 13; inclusion criteria: IQ > 70). Therapeutic sessions consisted in structured activities involving horses and included both work on the ground and riding. Results indicate an improvement in social functioning in the group attending EAT (compared to the control group) and a milder effect on motor abilities. Improved executive functioning was also observed (i.e. reduced planning time in a problem-solving task) at the end of the EAT program. Our findings provide further support for the use of animal-assisted intervention programs as complementary intervention strategies for children with ASD.

**Argomenti:** Autistic Disorder Therapy; Pet Therapy; Horses; Treatment Outcomes; Horseback Riding; Autistic Disorder Rehabilitation; Child: 6-12 years; Adolescent: 13-18 years; Male

 [Testo completo in PDF](#)   [PlumX Metrics](#)

2. Additional Evidence is Needed to Recommend Acquiring a Dog to Families of Children with Autism Spectrum Disorder: A Response to Wright and Colleagues...Wright, H. F., Hall, S., Hames, A., Hardiman, J., Mills, R., Mills, D. S., & Team, P. (2015). Acquiring a pet dog significantly reduces stress of primary carers for children with autism spectrum disorder: A prospective case control study. Journal of Autism and Developmental Disorders

 (includes abstract) Crossman, Molly; Kazdin, Alan; *In: Journal of Autism & Developmental Disorders*; Jan2016; v.46. n.1, 332-335. (4p) (Letter - commentary, letter) ISSN: 0162-3257 AN: 112192514

Pubblicazione e accademica

Abstract: Caregivers of children with autism spectrum disorder are vulnerable to overstated benefits of interventions, and such overstatements are common with interventions involving animals. This response to Wright, Hall, Hames, Hardmin, Mills, the Paws Team, and Mills' (2015) article, 'Acquiring a Pet Dog Significantly Reduces Stress of Primary Careers for Children with Autism Spectrum Disorder: A Prospective

# CINAHL: gestire i risultati della ricerca (2)

Risultati della ricerca: 1 - 50 di 52

Rilevanza ▾ **Opzioni pagina ▾** Condividi ▾

**1. Effectiveness of a Standardized Equine-Assisted Learning Program for Children with Autism Spectrum Disorder.**

 Pubblicazione accademica (includes abstract) Borgi, Marta; Loliva, Dafne; Cerretti, Maria; Nonnis, Enrico; Marcelli, Marco; Vinti, Claudia; Monica; Frascarelli, Massimo; Cirulli, Francesca; J... (1): 1-9. (9p) (Article - research, tables/charts) ISSN: ... Abstract: In this study the effectiveness of an equine-assisted executive functioning in children with autism spectrum disorder (n = 15, control group n = 13; inclusion criteria: IQ > 70) involving horses and included both work on the group and individualized work on the group attending EAT (compared to control group). Improved executive functioning was also observed at the end of the EAT program. Our findings provide full support for programs as complementary intervention strategies for children with autism spectrum disorder.

**Argomenti:** Autistic Disorder Therapy; Pet Therapy; Autism Disorder Rehabilitation; Child: 6-12 years; Adolescence

 Testo completo in PDF 

**2. Additional Evidence is Needed to Recommend Acquiring a Dog to Families of Children with Autism Spectrum Disorder: A Response to Wright and Colleagues...Wright, H. F., Hall, S., Hames, A., Hardiman, J., Mills, R., Mills, D. S., & Team, P. (2015). Acquiring a pet dog significantly reduces stress of primary carers for children with autism spectrum disorder: A prospective case control study. Journal of Autism and Developmental Disorders**

 Pubblicazione accademica (includes abstract) Crossman, Molly; Kazdin, Alan; *In: Journal of Autism & Developmental Disorders*; Jan2016; v.46. n.1, 332-335. (4p) (Letter - commentary, letter) ISSN: 0162-3257 AN: 112192514 Abstract: Caregivers of children with autism spectrum disorder are vulnerable to overstated benefits of interventions, and such overstatements are common with interventions involving animals. This response to Wright, Hall, Hames, Hardmin, Mills, the Paws Team, and Mills' (2015) article, 'Acquiring a Pet Dog Significantly Reduces Stress of Primary Careers for Children with Autism Spectrum Disorder: A Prospective

**Formato risultato:**

- Standard
- Solo titolo
- Breve
- Dettagliato

**Immagine QuickView:**

Visualizza anteprime delle immagini in un articolo dall'elenco risultati.

- Attivato
- Disattivato

**Risultati per pagina:**

- 5
- 10
- 20
- 30
- 40
- 50

**Layout pagina:**

- 1 colonna
- 2 colonne
- 3 colonne
- 2 colonne

# CINAHL: gestire i risultati della ricerca (3)

Risultati della ricerca: 1 - 50 di 52

Rilevanza ▾ Opzioni pagina ▾ **Condividi ▾**

**1. Effectiveness of a Standardized Equine-Assisted Therapy for Children with Autism Spectrum Disorder.**

 Pubblicazione accademica

(includes abstract) Borgi, Marta; Loliva, Dafne; Cerino, Stefania; C Maria; Nonnis, Enrico; Marcelli, Marco; Vinti, Claudia; Santis, Chia Monica; Frascarelli, Massimo; Cirulli, Francesca; Journal of Autism (1): 1-9. (9p) (Article - research, tables/charts) ISSN: 0162-3257 A Abstract: In this study the effectiveness of an equine-assisted therapy on executive functioning in children with autism spectrum disorder (ASD) (n = 15, control group n = 13; inclusion criteria: IQ > 70). Therapeutic sessions involving horses and included both work on the ground and riding. Improved executive functioning was also observed (i.e. reduced problems in the group attending EAT (compared to the control group). Improved executive functioning was also observed (i.e. reduced problems at the end of the EAT program. Our findings provide further support for equine-assisted programs as complementary intervention strategies for children with ASD.

**Argomenti:** Autistic Disorder Therapy; Pet Therapy; Horses; Treatment of Autism Disorder Rehabilitation; Child: 6-12 years; Adolescent: 13-18 years, male

 [Testo completo in PDF](#)   [PlumX Metrics](#)

**2. Additional Evidence is Needed to Recommend Acquiring a Dog to Families of Children with Autism Spectrum Disorder: A Response to Wright and Colleagues...Wright, H. F., Hall, S., Hames, A., Hardiman, J., Mills, R., Mills, D. S., & Team, P. (2015). Acquiring a pet dog significantly reduces stress of primary carers for children with autism spectrum disorder: A prospective case control study. Journal of Autism and Developmental Disorders**

 Pubblicazione accademica

(includes abstract) Crossman, Molly; Kazdin, Alan; *In: Journal of Autism & Developmental Disorders*; Jan2016; v.46. n.1, 332-335. (4p) (Letter - commentary, letter) ISSN: 0162-3257 AN: 112192514 Abstract: Caregivers of children with autism spectrum disorder are vulnerable to overstated benefits of interventions, and such overstatements are common with interventions involving animals. This response to Wright, Hall, Hames, Hardmin, Mills, the Paws Team, and Mills' (2015) article, 'Acquiring a Pet Dog Significantly Reduces Stress of Primary Careers for Children with Autism Spectrum Disorder: A Prospective

Stai cercando: CINAHL Plus with Full Text | Scegli database

Suggestisci soggetti

S1 AND S2 Seleziona un campo (facoltativo) ▼ Cerca

AND ▼ Seleziona un campo (facoltativo) ▼ Cancella ?

AND ▼ Seleziona un campo (facoltativo) ▼ + -

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche ▼](#)

La cartella temporanea si è arricchita dei primi 50 record bibliografici

Cronologia ricerche/avvisi

[Stampa cronologia ricerche](#) [Recupera ricerche](#) [Recupera avvisi](#) [Salva ricerche / Avvisi](#)

Seleziona / deseleziona tutto Cerca con AND Cerca con OR Elimina ricerche Aggiorna risultati della ricerca

ID ricerca	Cerca termini	Opzioni di ricerca	Azioni
<input type="checkbox"/> S3	S1 AND S2	Modalità ricerca - Booleano/frase	<a href="#">Visualizza risultati (52)</a> <a href="#">Visualizza dettagli</a> <a href="#">Modifica</a>
<input type="checkbox"/> S2	(MH "Pet Therapy")	Modalità ricerca - Booleano/frase	<a href="#">Visualizza risultati (1,149)</a> <a href="#">Visualizza dettagli</a> <a href="#">Modifica</a>
<input type="checkbox"/> S1	(MH "Autistic Disorder")	Modalità ricerca - Booleano/frase	<a href="#">Visualizza risultati (18,423)</a> <a href="#">Visualizza dettagli</a> <a href="#">Modifica</a>

**Filtra risultati**

Ricerca attuale ▼

Booleano/frase:  
S1 AND S2

Limita a ▼

Testo completo  
 Riferimenti disponibili  
 Riassunto disponibile

1997  Data di pubblicazione  2017

Risultati della ricerca: 1 - 50 di 52 Rilevanza ▼ Opzioni pagina ▼ Condividi ▼

1. Effectiveness of a Standardized Equine-Assisted Therapy Program for Children with Autism Spectrum Disorder.

(includes abstract) Borgi, Marta; Loliva, Dafne; Cerino, Stefania; Chiarotti, Flavia; Venerosi, Aldina; Bramini, Maria; Nonnis, Enrico; Marcelli, Marco; Vinti, Claudia; Santis, Chiara; Bisacco, Franca; Fagerlie, Monica; Frascarelli, Massimo; Cirulli, Franca; Journal of Autism & Developmental Disorders, Jan2016; 46(1): 1-9. (9p) (Article - research tables/charts) ISSN: 0162-3257 AN: 112192521

**Abstract:** In this study the effectiveness of an equine-assisted therapy (EAT) in improving adaptive and executive functioning in children with autism spectrum disorder (ASD) was examined (children attending EAT, n = 15, control group n = 13; inclusion criteria: IQ > 70). Therapeutic sessions consisted in structured activities involving horses and included work on the ground and riding. Results indicate an improvement in social functioning in the group attending EAT (compared to the control group) and a milder effect on motor abilities. Improved executive functioning was also observed (i.e. reduced planning time in a problem-solving task) at the end of the EAT program. Our findings provide further support for the use of animal-assisted intervention programs as complementary intervention strategies for children with ASD.

**Argomenti:** Autistic Disorder Therapy; Pet Therapy; Horses; Treatment Outcomes; Horseback Riding; Male

[Testo completo in PDF](#)

Per inserire nella cartella solo alcuni record selezionati, cliccare sull'icona stessa

La cartella contiene dei documenti

- Prognosis in autism: do s...
- Why animal assisted thera...
- Simple solutions. What's ...

Vai a: [Vista cartella](#)

ID ricerca	Cerca termini	Opzioni di ricerca	Azioni
<input type="checkbox"/> S3	S1 AND S2	Modalità ricerca - Booleano/frase	Visualizza risultati (52)    Visualizza dettagli Modifica
<input type="checkbox"/> S2	(MH "Pet Therapy")	Modalità ricerca - Booleano/frase	Visualizza risultati (1,149)    Visualizza dettagli Modifica
<input type="checkbox"/> S1	(MH "Autistic Disorder")	Modalità ricerca - Booleano/frase	Visualizza risultati (18,423)    Visualizza dettagli Modifica

**Filtra risultati**

Ricerca attuale

**Booleano/frase:**  
S1 AND S2

Limita a

Testo completo  
 Riferimenti disponibili  
 Riassunto disponibile

1997      Data di pubblicazione      2017

Mostra di più

Tipi di documento

Risultati della ricerca: 51 - 52 di 52

Rilevanza ▾ Opzioni pagina ▾ Condividi ▾

**51. A golden opportunity for children with autism.**

Periodici

(includes abstract) Nieves J; Exceptional Parent, Dec2004; 34(12)  
ISSN: 0046-9157 AN: 106637788  
Abstract: How the addition of a golden retriever changed the lives  
**Argomenti:** Autistic Disorder Psychosocial Factors; Autistic Disorder; Child, Preschool: 2-5 years; Male

**52. Animal magic.**

Periodici

Cosh J; Therapy Weekly, 2002 Jul 25; 29(4): 4-4. (1p) (Journal Article)  
**Argomenti:** Rehabilitation, Pediatric; Pet Therapy; Child: 6-12 years

Aggiungi alla cartella :

Risultati (51-52)

Aggiungi ricerca alla cartella: S1 AND S2

Crea un avviso :

Avviso e-mail   Notizie RSS

Utilizza Permalink :

Link permanente alla ricerca (copia e incolla)

Altro

La cartella contiene dei documenti

- Prognosis in autism: do s...
- Why animal assisted thera...
- Simple solutions. What's ...

Vai a: Vista cartella

**Per aggiungere gli ultimi due record bibliografici alla cartella, passare alla seconda pagina relativa ai risultati della ricerca**



**Contenuto cartella**

◀ Indietro

UNIVERSITA DEGLI STUDI  
DI BRESCIA

Per memorizzare questi documenti nella cartella per sessioni successive, [Accedi al Mio EBSCOhost](#).

- Articoli (52)
- Immagini (0)
- Video (0)
- Aziende (0)
- Pagine (0)
- Libri elettronici (0)
- audiolibri (0)
- Note (0)
- Altre fonti di contenuto (0)
- [Link permanenti alle ricerche](#) (0)
- Ricerche salvate (0)
- Avvisi ricerche (0)
- Avvisi riviste (0)
- Pagine Web (0)

## Articoli

1-50 di 52

Pagina: 1 2

Nome ▾   Opzioni pagina ▾

Seleziona / deseleziona tutto   **Elimina elementi**

1. [A golden opportunity for children with autism.](#)



Periodici

(includes abstract) Nieves J; Exceptional Parent, Dec2004; 34(12): 39-39. (1p) (Journal Article - case study) ISSN: 0046-9157 AN: 106637788, Database: CINAHL Plus with Full Text  
Abstract: How the addition of a golden retriever changed the lives of two boys with autism.

**Argomenti:** Autistic Disorder Psychosocial Factors; Autistic Disorder Therapy; Dogs; Pet Therapy; Child: 6-12 years; Child, Preschool: 2-5 years; Male



2. [A helping paw, hoof, wing or fin: therapy & service animals helping humans enhance participation in meaningful occupations.](#)



Periodici

Nutter CL; Communique, Jun/Jul2008; 2008(3): 13-13. (1p) (Journal Article) AN: 105574500, Database: CINAHL Plus with Full Text

**Argomenti:** Disabled; Occupational Therapy; Pet Therapy Methods; Pet Therapy Utilization



Testo completo in PDF



 Stampa

 E-mail

 Salva file

 Esporta

# CINAHL: dalla bibliografia al full-text

## Articoli

1-50 di 52

Pagina: 1 2 Nome ▾ Opzioni pagina ▾

Seleziona / deseleziona tutto

1. [A golden opportunity for children with autism.](#)

 **Periodici**

(includes abstract) Nieves J; Exceptional Parent, Dec2004; 34(12): 39-39. (1p) (Journal Article - case study) ISSN: 0046-9157 AN: 106637788, Database: CINAHL Plus with Full Text  
Abstract: How the addition of a golden retriever changed the lives of two boys with autism.

**Argomenti:** Autistic Disorder Psychosocial Factors; Autistic Disorder Therapy; Dogs; Pet Therapy; Child: 6-12 years; Child, Preschool: 2-5 years; Male



2. [A helping paw, hoof, wing or fin: therapy & service animals helping humans enhance participation in meaningful occupations.](#)

 **Periodici**

Nutter CL; Communique, Jun/Jul2008; 2008(3): 13-13. (1p) (Journal Article) AN: 105574500, Database: CINAHL Plus with Full Text

**Argomenti:** Disabled; Occupational Therapy; Pet Therapy Methods; Pet Therapy Utilization

 [Testo completo in PDF](#) 





 Record Dettagliato

 Testo completo in PDF

Fonte: Communiqué

Data: June 1, 2008

All'interno di quest'opera

▼ Indice testo completo

1 - 5 | 6 - 10 | 11 - 13

Re-entering the prof... 5

Constraint-induced m... 8

Animal-assisted ther... 9

Rainbow animal assis... 11

► Scegli un altro numero

Possibilità di «sfogliare» l'intero fascicolo, o altri dello stesso periodico

A helping paw, hoof, wing or fin: therapy & service animals helping humans

June/ July • Issue 3 • 2008

# A Helping Paw, Hoof, Wing or Fin

## Therapy & Service Animals Helping Humans Enhance Participation in Meaningful Occupations

Carrie L. Nutter, MS, OTR/L

Many individuals have strong bonds with their companion animals. For some persons with special challenges, their animals serve as more than loving pets; these animals allow their humans to experience more independence and to more fully participate in occupations that are meaningful to them.

There are a variety of types of animal who provide service to humans including therapy animals and service animals. Each group provides unique assistance. Therapy animals are animals who have received specialized training along with their handlers and have passed special tests and/or attained various qualifications and are certified by groups such as Delta Society, Therapy Dogs, Inc. and Therapy Dogs International. The animals must meet specific criteria for health, grooming and behavior. These animals may be present at sites such as schools, day programs, long-term care facilities, hospitals, mental health clinics, and rehabilitation centers. Their interactions with the participants include working on physical, self-esteem, cognitive, recreational and social/emotional goals during sessions that are facilitated by occupational therapists and healthcare professionals. Dogs are the most common type of certified therapy animal but other types of animals currently certified by Delta Society include dogs, cats, rabbits, guinea pigs, domesticated rats, horses, goats, llamas, donkeys, potbellied and mini pigs, birds such as Cockatoos and African Grey Parrots and chickens. This type of therapy is called animal assisted therapy (Animal assisted activities in-

also may receive support from canines or felines trained to alert their guardians to noises/signals. These animals are called hearing or signal animals. These animals serve as the ears of the individual and may alert their guardians to sounds such as smoke alarms, alarm clocks, the doorbell, infants/children crying, etc.

Persons with severe physical challenges have the option of utilizing the services of animals such as dogs, monkeys, pot bellied pigs and even birds such as parrots. Dogs demonstrate the ability to retrieve dropped items, open doors and refrigerators, turn on and off lights and pull wheelchairs. Capuchin monkeys can perform tasks such as putting toothpaste on a toothbrush, operating a toaster or microwave, using vending machines and retrieving and placing clothing items into and out of washers and dryers. Pot bellied pigs have been trained to assist with pulling wheelchairs, operating on/off switches and retrieving items. Parrots have been trained to retrieve items such as fallen phones.

Animals have also been trained for emotional support, to alert their guardians of upcoming seizures and to assist with balance. Service Dogs work specifically with individuals with autism. They have been trained to notice signs of agitation such as hand flapping and to alert children's guardians of this and to assist in providing a calming, nurturing environment during daily activities. Some persons have major anxieties and mental illnesses and an animal can assist with calming persons in these

even assist the person to a standing position if the person has fallen. Canines and pot-bellied pigs have been successfully utilized with assisting persons with Parkinson's Disease by helping to facilitate a more standard gait.

Service animals are legally defined under the [Americans with Disabilities Act \(ADA\)](#). Federal law permits qualified persons who have disabilities to be accompanied by their service animals in all places of public accommodation. They are registered as service animals and have identification cards and may often wear special vests or identifying tags or collars in order to indicate that they are working animals. The above assistance/service animals are allowed to accompany their guardians in public places such as stores and restaurants and when traveling on public transportation including buses, trains and planes. There is a capuchin monkey who assists its rider by placing the coins in the fare box on a bus route in Florida. There is a pig who accompanies its guardian on the subway in New York to help alleviate anxiety during the guardian's commute. Service animals may also accompany their guardians to lodging facilities and landlords of tenants with service animals must make reasonable accommodations to allow the service animals to reside with the individual and cannot automatically refuse to rent to persons with service animals. This allows the individuals to be as independent as possible in both their home environments and in the community. Therapy animals may be allowed certain privileges via their own individual states but



# CINAHL: dalla bibliografia alla richiesta di Document Delivery

**Articoli**

1-50 di 52

Pagina: 1 2 Nome ▾ Opzioni pagina ▾

Seleziona / deseleziona tutto

1. [A golden opportunity for children with autism.](#)

 **Periodici**

(includes abstract) Nieves J; Exceptional Parent, Dec2004; 34(12): 39-39. (1p) (Journal Article - case study) ISSN: 0046-9157 AN: 106637788, Database: CINAHL Plus with Full Text  
Abstract: How the addition of a golden retriever changed the lives of two boys with autism.

**Argomenti:** Autistic Disorder Psychosocial Factors; Autistic Disorder Therapy; Dogs; Pet Therapy; Child: 6-12 years; Child, Preschool: 2-5 years; Male

  Link a Servizi Informativi e Risorse Online (SIRIO)

2. [A helping paw, hoof, wing or fin: therapy & service animals helping humans enhance participation in meaningful occupations.](#)

 **Periodici**

Nutter CL; Communique, Jun/Jul2008; 2008(3): 13-13. (1p) (Journal Article) AN: 105574500, Database: CINAHL Plus with Full Text

**Argomenti:** Disabled; Occupational Therapy; Pet Therapy Methods; Pet Therapy Utilization

 [Testo completo in PDF](#) 

**Titolo:** A golden opportunity for children with autism.

**Fonte:** The Exceptional Parent [0046-9157] anno :2004 vol:34 fasc:12 pg:39

#### Disponibilità

##### Full text

Testo completo non disponibile



##### Informazioni sul posseduto

Verifica nel [Catalogo dei Periodici delle Biblioteche dell'Ateneo](#) GO

#### Servizi correlati

##### Servizi Interbibliotecari

Chiedi le fotocopie alla [tua biblioteca](#) GO



##### Citazione bibliografica

Copia questa [citazione e l'OpenURL relativa](#) GO

Per maggiori informazioni clicca qui

Download Record via [ISI Direct Export Tool](#) GO

[Per registrarsi al servizio EndNote](#)

Esporta il record in [RefWorks](#) GO

Per maggiori informazioni clicca qui

##### Servizi Web

Invia segnalazioni o suggerimenti alla [tua biblioteca](#) GO

##### Ricerca Web

Cerca informazioni correlate [nel motore di ricerca](#) GO

Google ▼

parole del titolo:

# Servizio di Richiesta Documenti

Il servizio è riservato all'utenza istituzionale dell'Università degli Studi di Brescia.

Si prega di inoltrare le richieste (fino ad un massimo di 5 per settimana) solo se la ricerca nelle alternative proposte (catalogo periodici elettronici, SBBL, altri cataloghi) ha dato esito negativo.

Per ritirare i documenti richiesti attendere la conferma del loro arrivo da parte delle biblioteche. I docenti e ricercatori che desiderino ricevere gli articoli presso le loro strutture dovranno compilare il campo relativo all'indirizzo di consegna.

Nel caso la richiesta riguardi un ebook non disponibile è possibile segnalare l'interesse per il titolo non trovato tramite uno specifico [modulo online](#).

Completare il modulo con i propri dati.

I campi contrassegnati con \* sono obbligatori:

\* Biblioteca di appartenenza: -- Selezionare --



Disponibilità ad un eventuale rimborso spese: -- Selezionare --

Tipologia	articolo
* Titolo Articolo	A golden opportunity for t
* Titolo rivista	The Exceptional Parent
abbrev	EXCEPTIONAL PAREN
Autore	
Luogo di Pubblicazione	[Oradell, NJ [etc.]
Editore	EP Global Communicatio
* Anno	2004
month	12
day	1
Volume	34
Fascicolo	12
Pag.	39
ISSN	0046-9157
* Cognome e Nome	
* Email	
* Matricola o n. tessera	
Qualifica	
Sezione	
Dipartimento	
Indirizzo consegna	
Telefono	
Note	

Citazione importata da CINAHL  
nel modulo elettronico di richiesta



Dati anagrafici dell'utente, da inserire



Invia Richiesta



Stai cercando: CINAHL Plus with Full Text | Scegli database

Suggestisci soggetti

S1 AND S2 Seleziona un campo (facoltativo) ▼ Cerca

AND ▼ Seleziona un campo (facoltativo) ▼ Cancella ?

AND ▼ Seleziona un campo (facoltativo) ▼ + -

[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche ▼](#)

Per salvare in modo permanente i record bibliografici e le strategie di ricerca è necessario registrarsi

### Cronologia ricerche/avvisi

[Stampa cronologia ricerche](#) | [Recupera ricerche](#) | [Recupera avvisi](#) | [Salva ricerche / Avvisi](#)

<input type="checkbox"/> Seleziona / deseleziona tutto		Cerca con AND	Cerca con OR	Elimina ricerche	Aggiorna risultati della ricerca	
ID ricerca	Cerca termini	Opzioni di ricerca		Azioni		
<input type="checkbox"/> S3	S1 AND S2	Modalità ricerca - Booleano/frase		Visualizza risultati (52)	Visualizza dettagli	
				Modifica		
<input type="checkbox"/> S2	(MH "Pet Therapy")	Modalità ricerca - Booleano/frase		Visualizza risultati (1,149)	Visualizza dettagli	
				Modifica		
<input type="checkbox"/> S1	(MH "Autistic Disorder")	Modalità ricerca - Booleano/frase		Visualizza risultati (18,423)	Visualizza dettagli	
				Modifica		

#### Filtra risultati

Ricerca attuale ▼

**Booleano/frase:**  
S1 AND S2

Limita a ▼

Testo completo

Riferimenti disponibili

Riassunto disponibile

1997  Data di pubblicazione  2017

Risultati della ricerca: 1 - 50 di 52

Rilevanza ▼ Opzioni pagina ▼ Condividi ▼

#### 1. Effectiveness of a Standardized Equine-Assisted Therapy Program for Children with Autism Spectrum Disorder.

(includes abstract) Borgi, Marta; Loliva, Dafne; Cerino, Stefania; Chiarotti, Flavia; Venerosi, Aldina; Bramini, Maria; Nonnis, Enrico; Marcelli, Marco; Vinti, Claudia; Santis, Chiara; Bisacco, Franca; Fagerlie, Monica; Frascarelli, Massimo; Cirulli, Franca; Journal of Autism & Developmental Disorders, Jan2016; 46(1): 1-9. (9p) (Article - research, tables/charts) ISSN: 0162-3257 AN: 112192521

Pubblicazione accademica

Abstract: In this study the effectiveness of an equine-assisted therapy (EAT) in improving adaptive and executive functioning in children with autism spectrum disorder (ASD) was examined (children attending EAT, n = 15, control group n = 13; inclusion criteria: IQ > 70). Therapeutic sessions consisted in structured activities involving horses and included both work on the ground and riding. Results indicate an improvement in social functioning in the group attending EAT (compared to the control group) and a milder effect on motor abilities. Improved executive functioning was also observed (i.e. reduced planning time in a problem-solving task) at the end of the EAT program. Our findings provide further support for the use of animal-assisted intervention programs as complementary intervention strategies for children with ASD.

**Argomenti:** Autistic Disorder Therapy; Pet Therapy; Horses; Treatment Outcomes; Horseback Riding; Autistic Disorder Rehabilitation; Child: 6-12 years; Adolescent: 13-18 years; Male

Testo completo in PDF PlumX Metrics

La cartella contiene dei documenti

- Prognosis in autism: do s...
- Why animal assisted thera...
- Simple solutions. What's ...

Vai a: [Vista cartella](#)

# CINAHL: My EbscoHost



## Accedi

Nome utente/E-mail

Password

Mostra

[Password dimenticata?](#)

**Accedi**

Non si dispone di un account? [Crearne uno ora.](#)

IL MIO  Cartella di Nicoletta 

 [◀ Indietro](#)

-  **La mia cartella**
- Articoli (35)
- Immagini (0)
- Video (0)
- Aziende (0)
- Pagine (0)
- Libri elettronici (0)
- audiolibri (0)
- Checkout (0)
- Prenotazioni (0)
- Note (0)
- Altre fonti di contenuto (0)
- Link permanenti alle ricerche (1)
- Ricerche salvate (0)
- Avvisi ricerche (0)
- Avvisi riviste (0)
- Pagine Web (0)

-  **Nuova**
-  **Le mie cartelle personali**
- 
-  **Corso Dietistica**
-  **prova presentazione novembre 2**

## La mia cartella: Articoli

1-35 di 35

Pagina: 1

Nome ▾ Opzioni pagina ▾

Seleziona / deseleziona tutto

[1. A Pilot Trial Evaluating Zoledronic Acid Induced Changes in \[<sup>18</sup>F\]FMAU-Positron Emission Tomography Imaging of Bone Metastases in Prostate Cancer.](#)



Pubblicazione  
e  
accademica

(includes abstract) Vaishampayan, Ulka; Tehrani, Omid; Lawhorn-Crews, Jawana; Heilbrun, Lance; Dobson, Kimberlee; Smith, Daryn; Dickow, Brenda; Shields, Anthony; Vaishampayan, Ulka N; Tehrani, Omid S; Lawhorn-Crews, Jawana M; Heilbrun, Lance K; Shields, Anthony F; Molecular Imaging & Biology, Dec2017; 19(6): 810-816. (7p) (journal article) ISSN: 1536-1632 PMID: 28289967 AN: 125951081, Database: CINAHL Plus with Full Text

**Abstract Purpose:** We conducted a pilot trial utilizing [<sup>18</sup>F]FMAU [1-(2'-deoxy-2'-[<sup>18</sup>F]fluoro-β-D-arabinofuranosyl thymine)] as a tumor tracer in positron emission tomography (PET) and evaluated its reproducibility, and changes in maximum and peak standardized uptake value (SUV<sub>max</sub> and SUV<sub>peak</sub>) with zoledronic acid treatment in castrate resistant prostate cancer (CRPC) patients with bone metastases (BM). **Procedures:** Eligible patients had CRPC with radiographic evidence of BM and creatinine clearance >30 ml/min. Two baseline [<sup>18</sup>F]FMAU-PET scans (about 1 week apart, range 2-12 days) were obtained for testing reproducibility. Zoledronic acid 4 mg was infused over 15 min within 1 week after second scan and a third PET scan was obtained 7 days later. The bony lesion with the highest uptake on the first scan was compared with later scans. Bone turnover markers and prostate-specific antigen (PSA) were obtained pre- and post-therapy. PET response was defined as decline in SUV<sub>mean</sub> of ≥15 % after zoledronic acid. **Results:** Eleven patients were evaluated, median age was 65 years, five were African-American and six were Caucasian, and median PSA level was 36.3 ng/ml (range 1.0-1209.3). Notably, the range of absolute percent SUV<sub>max</sub> changes varied between 0.77 and 54.7, and only nine measurements were greater than one (1.09-2.19). Zoledronic acid did not appreciably change FMAU uptake. No clinical response was noted. Urine N-telopeptide (NTx) was markedly decreased in all patients after zoledronic acid and serum bone-specific alkaline phosphatase (BSAP) registered a modest change. Urine NTx correlated more closely with SUV<sub>max</sub> than serum

-  Stampa
-  E-mail
-  Salva file
-  Esporta



La mia cartella

- Articoli (35)
- Immagini (0)
- Video (0)
- Aziende (0)
- Pagine (0)
- Libri elettronici (0)
- audiolibri (0)
- Checkout (0)
- Prenotazioni (0)
- Note (0)
- Altre fonti di contenuto (0)
- Link permanenti alle ricerche (1)
- Ricerche salvate (0)
- Avvisi ricerche (0)
- Avvisi riviste (0)
- Pagine Web (0)

Nuova

Le mie cartelle personali



Corso Dietistica

[Modifica] [Condividi]

gluten free diet/AE

[Modifica] [Condividi]

Articoli (32)

## Corso Dietistica: gluten free diet/AE Articoli

1-32 di 32

Pagina: 1

Nome ▾ Opzioni pagina ▾

Seleziona / deseleziona tutto

1. [Assessing the proposed association between DED and gluten-free diet introduction in celiac children.](#)



Pubblicazione  
e  
accademica

(includes abstract) Queiroz, Alexandra Mussolino; Arid, Juliana; Carvalho, Fabricio Kitazono; Silva, Raquel Assed Bezerra; Küchler, Erika Calvano; Sawamura, Regina; Silva, Lea Assed Bezerra; Nelson-Filho, Paulo; Special Care in Dentistry, Jul/Aug2017; 37(4): 194-198. (5p) (journal article - research, tables/charts) ISSN: 0275-1879 PMID: 28677884 AN: 123928652, Database: CINAHL Plus with Full Text Abstract: A strong association between celiac disease (CD) and dental enamel defects (DEDs) have been extensively reported, however, the nature of this relationship is still unclear. The aim of this study was to evaluate DEDs phenotype in CD individuals according to the time they were introduced to a gluten-free diet (GFD). Forty-five CD individuals were examined by a pediatric dentist. DEDs were classified according to the type of affected teeth. CD individuals were classified into two groups (with or without DEDs) and the differences between these groups were tested using chi-square or Fisher's exact tests and t-test to compare differences between means. The Pearson coefficient test was used to evaluate the degree of the correlation between the age of GFD introduction and number of affected teeth. Individuals with MIH were introduced earlier to the GFD ( $p = 0.038$ ). An association was also observed for molar DED ( $p = 0.013$ ). In conclusion, our study suggested an association between a specific type of DED and the time that CD individuals were introduced to a GFD.

**Argomenti:** Dental Enamel Hypoplasia Etiology; Dental Enamel Pathology; Diet, Gluten-Free Adverse Effects; Celiac Disease Diet Therapy; Child: 6-12 years; Adolescent: 13-18 years; Male; Female



 Stampa

 E-mail

 Salva file

 Esporta

# CINAHL: periodici indicizzati e full-text



Stai cercando: **CINAHL Plus with Full Text** | [Scegli database](#)

UNIVERSITA DEGLI STUDI  
DI BRESCIA

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche](#)

## Pubblicazioni

Ricerca: CINAHL Plus with Full Text -- Publications

Ordine alfabetico  Per argomento e descrizione  Qualsiasi parola

Pagina: [Precedente](#) [Successivo](#) ▶ ◀ [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) ▶

Segna voci per la ricerca

-  [AACN Viewpoint](#)  
Record Bibliografici: 01/01/1996 To Present  
Testo Completo: 01/01/2004 To Present  
 Testo Completo In PDF
-  [AAC: Augmentative & Alternative Communication](#)  
Record Bibliografici: 03/01/1995 To Present  
Testo Completo: 03/01/2001 To Present (With A 18 Month Delay)  
\*Full Text Delay Due To Publisher Restrictions("Embargo")  
 Testo Completo In PDF;  Testo Completo In HTML
-  [AACN Advanced Critical Care](#)  
Record Bibliografici: 02/01/1995 To Present
-  [AACN Bold Voices](#)  
Record Bibliografici: 01/01/1994 To Present  
Testo Completo: 11/01/2004 To Present  
 Testo Completo In PDF



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche](#)

Ricerca avanzata

### Publicazioni

Ricerca: CINAHL Plus with Full Text -- Publications

Ordine alfabetico  Per argomento e descrizione  Qualsiasi parola

Pagina: [Precedente](#) [Successivo](#) ▶ ◀ [A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#) ▶

Segna voci per la ricerca

[National Network](#)  
Record Bibliografici: 08/01/1991 To Present

[National Nurse](#)  
Record Bibliografici: 08/01/1969 To Present  
Testo Completo: 06/01/2002 To Present  
 [Testo Completo In PDF](#)

[National Vital Statistics Reports](#)  
Record Bibliografici: 06/06/2012 To Present

[National Women's Health Report](#)  
Record Bibliografici: 01/01/1992 To 07/01/2009

[Nation's Hospitals](#)  
Record Bibliografici: Selective Coverage From 1970 To 1972

[Nation's Hospitals & Nursing Homes](#)  
Record Bibliografici: Selective Coverage From 1968 To 1970



IL MIO



Database: CINAHL Plus with Full Text – Publications

[◀ Indietro](#)

### Pubblicazioni

[◀ Record precedente](#) [Record successivo ▶](#)

[Cerca in questa pubblicazione](#)

## Dettagli pubblicazione per "National Nurse"

**Titolo:** National Nurse

**ISSN:** 2153-0386

**Informazioni editore:** California Nurses Association  
2000 Franklin Street  
Suite 300  
Oakland CA 94612  
United States of America

**Cronologia titoli:** National Nurse (2010 - present)  
[Registered Nurse: Journal of Patient Advocacy \(2006 - 2009\)](#)  
*Changed to National Nurse*  
[California Nurse \(1969 - 2006\)](#)  
*Changed to Registered Nurse: Journal of Patient Advocacy*  
[Revolution: The Journal for RNs & Patient Advocacy \(2000 - 2006\)](#)  
*Merged with California Nurse*

**Record bibliografici:** 08/01/1969 to present


**Testo completo:** [06/01/2002 to present](#)

**Tipo di pubblicazione:** Periodical

 [Condividi ▾](#)

[Tutti i numeri](#) | [Solo titolo attuale](#)

- [+ 2018](#)
- [+ 2017](#)
- [+ 2016](#)
- [+ 2015](#)
- [+ 2014](#)
- [+ 2013](#)
- [+ 2012](#)
- [+ 2011](#)
- [+ 2010](#)
- [+ 2009](#)
- [+ 2008](#)
- [+ 2007](#)
- [+ 2006-RNJPA](#)
- [+ 2006-CN](#)
- [+ 2006-RJRPA](#)
- [+ 2005-CN](#)
- [+ 2005-RJRPA](#)
- [+ 2004-CN](#)





Database: CINAHL Plus with Full Text -- Publications  
[Indietro](#)

UNIVERSITA DEGLI STUDI  
DI BRESCIA

### Pubblicazioni

[Record precedente](#) [Record successivo](#)

 [Condividi](#) ▾

Cerca in questa pubblicazione

## Dettagli pubblicazione "National Nurse"

**Titolo:** National Nurse

**ISSN:** 2153-0386

**Informazioni editore:** California Nurses Association  
2000 Franklin Street  
Suite 300  
Oakland CA 94612  
United States of America

**Cronologia titoli:** National Nurse (2010 - present)  
[Registered Nurse: Journal of Patient Advocacy](#) (2006 - 2009)  
*Changed to National Nurse*  
[California Nurse](#) (1969 - 2006)  
*Changed to Registered Nurse: Journal of Patient Advocacy*  
[Revolution: The Journal for RNs & Patient Advocacy](#) (2000 - 2006)  
*Merged with California Nurse*

**Record bibliografici:** 08/01/1969 to present

**Testo completo:** 06/01/2002 to present

**Tipo di pubblicazione:** Periodical

Tutti i numeri | Solo titolo attuale

-- 2018

[Vol. 114 Numero 2 -  
Mar/Apr2018](#)

[Vol. 114 Numero 1 -  
Jan/Feb2018](#)

+ 2017

+ 2016

+ 2015

+ 2014

+ 2013

+ 2012

+ 2011

+ 2010

+ 2009

+ 2008

+ 2007

+ 2006-RNJPA

+ 2006-CN





Stai cercando: **CINAHL Plus with Full Text** | Scegli database

UNIVERSITA DEGLI STUDI  
DI BRESCIA

Suggestisci soggetti

JN "National Nurse" AND DT 20180301      Seleziona un campo (facoltativo) ▾      **Cerca**

AND ▾      Seleziona un campo (facoltativo) ▾      Cancellare ?

AND ▾      Seleziona un campo (facoltativo) ▾      + -

Ricerca di base | Ricerca avanzata | Cronologia ricerche ▶

### Filtra risultati

#### Ricerca attuale

##### Booleano/frase:

JN "National Nurse" AND  
DT 20180301

#### Limita a

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

2018      Data di pubblicazione      2018

Mostra di più

Argomento: titolo principale ▶

Risultati della ricerca: 1 - 13 di 13

Data più recente ▾      Opzioni pagina ▾      Condividi ▾

### 1. Letter from the NNU presidents.



Periodici

(includes abstract) Burger, Deborah; Ross, Jean; **National Nurse**, Mar/Apr2018; 114(2): 2-2. (2/3p) (Article)  
ISSN: 2153-0386 AN: 130313405

Abstract: An introduction is presented which discusses regulations and standards for the nursing profession, and the movement for the establishment of a national registered nurse (RN) licensure program in the U.S., backed by healthcare corporations and nursing groups.

**Argomenti:** Nursing Organizations Administration; Labor Unions; Professional Regulation; Nursing as a Profession



Testo completo in PDF      SFX

### 2. RNs are health ambassadors and advocates in Ghana medical mission.



Database: CINAHL Plus with Full Text -- Publications

[Indietro](#)

UNIVERSITA DEGLI STUDI  
DI BRESCIA

### Pubblicazioni

[Record precedente](#) [Record successivo](#)

 [Condividi](#) ▾

[Cerca in questa pubblicazione](#)



## Dettagli pubblicazione per "JOGNN: Journal of Obstetric, Gynecologic & Neonatal Nursing"

**Titolo:** JOGNN: Journal of Obstetric, Gynecologic & Neonatal Nursing

**ISSN:** 0884-2175

**Informazioni editore:** Elsevier B.V.  
1600 John F. Kennedy Blvd.  
Suite 1800  
Philadelphia PA 01903-2899  
United States of America

**Record bibliografici:** 01/01/1985 to present

**Tipo di pubblicazione:** Academic Journal

**Argomenti:** Maternal-Child Nursing; Women's Health

**URL editore:** <https://www.elsevier.com/>

**Frequenza:** 6

**Rivisti da esperti:** Yes

WILEY Blackwell

### Tutti i numeri

[+ 2018](#)

[+ 2017](#)

[+ 2016](#)

[+ 2015](#)

[+ 2014](#)

[+ 2013](#)

[+ 2012](#)

[+ 2011](#)

[+ 2010](#)

[+ 2009](#)

[+ 2008](#)

[+ 2007](#)

[+ 2006](#)

[+ 2005](#)

[+ 2004](#)

[+ 2003](#)

[+ 2002](#)



Stai cercando: **CINAHL Plus with Full Text** | [Scegli database](#)

UNIVERSITA DEGLI STUDI  
DI BRESCIA

Suggestisci soggetti

JN "JOGNN: Journal of Obstetric, Gynecologi

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾

prenatal education|

Seleziona un campo (facoltativo) ▾

Cancela ?

AND ▾

Seleziona un campo (facoltativo) ▾



[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche](#)

### Opzioni di ricerca

Per cercare un argomento all'interno di una pubblicazione già nota

Reimposta

#### Modalità di ricerca e espansori

##### Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

##### Applica parole correlate

##### Cerca anche nel testo completo degli articoli

##### Applica argomenti equivalenti

#### Limita i risultati

##### Testo completo

##### Riassunto disponibile

##### Autore

##### Riferimenti disponibili

##### Data di pubblicazione

Mese ▾ Anno:  - Mese ▾ Anno:

##### Pubblicazione



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

Suggestisci soggetti

JN "JOGNN: Journal of Obstetric, Gynecologi | Seleziona un campo (facoltativo) ▾ **Cerca**

AND ▾ prenatal education | Seleziona un campo (facoltativo) ▾ **Cancella ?**

AND ▾ | Seleziona un campo (facoltativo) ▾ (+) (-)

[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche ▶](#)

### Filtra risultati

#### Ricerca attuale

##### Booleano/frase:

JN "JOGNN: Journal of  
Obstetric, Gynecologic &  
Neonatal ...

#### Limita a

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

1986 | Data di pubblicazione | 2017

Mostra di più

#### Tipi di documento

Tutti i risultati

Risultati della ricerca: 1 - 27 di 27

Rilevanza ▾ | Opzioni pagina ▾ | **Condividi** ▾

## 1. Targeting prenatal emergency preparedness through childbirth education.



Pubblicazione  
e  
accademica

(includes abstract) Giarratano G; Sterling YM; Orlando S; Mathews P; Deeves G; Bernard ML; Danna D; JOGNN: Journal of Obstetric, Gynecologic & Neonatal Nursing, Jul/Aug2010; 39(4): 480-488. (9p) (Journal Article - tables/charts) ISSN: 0884-2175 PMID: 20629935 AN: 105056702

Abstract: The lack of emergency preparedness planning remains problematic for families, but there is a special concern for **prenatal** women and families. This article proposes **childbirth education** as one avenue through which nurses can engage families to prepare for a disaster. Template guides and references are included for community-specific emergency preparedness **education** for childbearing families. Critical issues unique to childbearing women and newborns related to evacuation, sheltering, birthing in place, and mental health are addressed.

**Argomenti:** Childbirth Education; Disaster Planning Education; Female

Riferimenti citati: (40)



## 2. Learner Portfolios and Hands-On Workshop to Facilitate and Evaluate Nurses' Learning in Obstetric Ultrasound.

[Home](#)

Riviste di infermieristica, ordinate in base all'Impact Factor



## Journals in NURSING

[Go to Journal Profile](#)


[Compare Journals](#)
[View Title Changes](#)

[Select Journals](#)
[Select Categories](#)
[Select JCR Year](#)


[Select Edition](#)
 SCIE
  SSCI

[Open Access](#)
 Open Access

[Category Schema](#)
[Journals By Rank](#)
[Categories By Rank](#)

Journal Titles Ranked by Impact Factor

[Compare Selected Journals](#)
[Add Journals to New or Existing List](#)
[Customize Indicators](#)

Select All		Full Journal Title	Total Cites	Journal Impact Factor	Eigenfactor Score
<input type="checkbox"/>	1	INTERNATIONAL JOURNAL OF NURSING STUDIES	7,971	3.656	0.01300
<input type="checkbox"/>	2	JOURNAL OF NURSING SCHOLARSHIP	2,431	2.662	0.00300
<input type="checkbox"/>	3	European Journal of Cardiovascular Nursing	1,463	2.651	0.00300
<input type="checkbox"/>	4	NURSING OUTLOOK	1,598	2.425	0.00300
<input type="checkbox"/>	5	EUROPEAN JOURNAL OF CANCER CARE	2,576	2.409	0.00400
<input type="checkbox"/>	6	BIRTH-ISSUES IN PERINATAL CARE	2,250	2.329	0.00200
<input type="checkbox"/>	7	JOURNAL OF ADVANCED NURSING	16,130	2.267	0.01200

# CINAHL: ulteriori strumenti e risorse

A partire dalla homepage trovate anche:

- ***FOGLI INFORMATIVI BASATI SU PROVE DI EFFICACIA (EVIDENCE-BASED CARE SHEETS)***
- ***LEZIONI RAPIDE (QUICK LESSONS)***
- ***IMMAGINI***
- ***CORRISPONDENZA CITAZIONI (CITATION MATCHER)***
- ***MODULI CE (CONTINUING EDUCATION)***

Browser window showing the EBSCOhost search interface. The address bar displays: <https://eds.a.ebscohost.com/ehost/search/advanced?vid=18&sid=befb0430-f3f0-4c07-f...>

Navigation menu: Nuova ricerca | Pubblicazioni | Intestazioni CINAHL | Fogli informativi basati su prove di efficacia | Altro ▾ | Accedi | Cartella | Preferenze | Lingue ▾ | Guida

Search area: **Stai cercando: CINAHL Plus with Full Text** | Scegli database

Search filters:  Suggerisci soggetti

AND ▾ [input] Selezione un campo (▼)

AND ▾ [input] Selezione un campo (▼)

AND ▾ [input] Selezione un campo (facoltativo) (▼) (+) (-)

Search options: Ricerca di base | Ricerca avanzata | Cronologia ricerche

Opzioni di ricerca

Reimposta

Modalità di ricerca e espansori

Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

Applica argomenti equivalenti

Applica parole correlate

Cerca anche nel testo completo degli articoli

Limita i risultati

Testo completo

Riassunto disponibile

Autore [input]

Lingua inglese

Riferimenti disponibili

Data di pubblicazione

Mese ▾ Anno: [input] - Mese ▾ Anno: [input]

Pubblicazione [input]

Rivisti da esperti

UNIVERSITA DEGLI STUDI DI BRESCIA

Windows taskbar: 15.24 18/09/2018



Database: **CINAHL Plus with Full Text--Evidence-Based Care Sheets**

## Evidenze scientifiche in sintesi

UNIVERSITA DEGLI STUDI  
DI BRESCIA

### Argomenti

Ricerca: CINAHL Plus with Full Text--Evidence-Based Care Sheets

Ordine alfabetico    Ordinato per importanza

Pagina: [◀ Precedente](#)   [Successivo ▶](#)

Selezionare una o più voci e fare clic su

- Gastroesophageal Reflux Disease: Proton Pump Inhibitors
- Hand Hygiene 
- Heat Stress Disorders: Exertional Heat Stroke In Athletes
- Hydration: Maintaining Oral Hydration In Older Adults
- Infections, Surgical Site: Prevention
- Interventions For The Wandering Patient
- Macular Degeneration, Age-Related: Quality Of Life
- Macular Degeneration, Age-Related: Risks And Prevention
- Macular Degeneration, Age-Related: Treatment
- Macular Degeneration: Screening And Early Detection
- Melanoma: Assessment For Psychological Adjustment



Stai cercando: **CINAHL Plus with Full Text** | [Scegli database](#)

Suggestisci soggetti

(EV "Hand Hygiene")   [Seleziona un campo \(facoltativo\) ▾](#)

**Cerca**

AND ▾      [Seleziona un campo \(facoltativo\) ▾](#)

[Cancella ?](#)

AND ▾      [Seleziona un campo \(facoltativo\) ▾](#)

[+](#) [-](#)

[Ricerca di base](#)   [Ricerca avanzata](#)   [Cronologia ricerche ▶](#)

### Filtra risultati

#### Ricerca attuale ▾

**Booleano/frase:**

(EV "Hand Hygiene")

#### Limita a ▾

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

2018   Data di pubblicazione   2018

Risultati della ricerca: 1 - 1 di 1

Rilevanza ▾   Opzioni pagina ▾

[Condividi ▾](#)

## 1. Hand Hygiene



Evidence-Based Care Sheet

Schub, Tanja; Oji, Obiamaka; Pravikoff, Diane; *In*: CINAHL Nursing Guide; 2018 Jul 06; (Evidence-Based Care Sheet) AN: T700661

**Argomenti:** Cross Infection Prevention and Control; Handwashing Methods; Health Personnel; Infection Control; Propanols Therapeutic Use



[Testo completo in PDF](#)



Pagina: 1





 Record Dettagliato

 Testo completo in PDF

Fonte: CINAHL Nursing Guide

Data: July 6, 2018

All'interno di quest'opera

▼ Indice testo completo

1 - 5 | 6 - 7

Menopause: Risk for ...

Hand Hygiene

Hand Hygiene



## EVIDENCE-BASED CARE SHEET

### Hand Hygiene

#### What We Know

- › Hand hygiene involves the act of cleaning the hands of microorganisms by handwashing (i.e., washing with soap and water), applying an antiseptic hand rub (i.e., alcohol-based foam or gel sanitizer), or performing a surgical hand scrub<sup>(4)</sup>
- › Proper performance of hand hygiene by healthcare professionals is the most important factor in the prevention of healthcare-associated infection (HAI; formerly called hospital-acquired infection and nosocomial infection) and cross transmission between patients and healthcare personnel<sup>(12)</sup>
  - Researchers have found that many healthcare workers do not adhere to facility protocols for hand hygiene; HAIs develop in as many as 1 in 10 patients in the United States, and 15–30% of HAIs are thought to be preventable by the proper performance of hand hygiene<sup>(2,12)</sup>
    - Authors of a systematic review of 96 studies on hospital staff adherence to protocols for hand hygiene found that the overall rate of adherence was 40%. Adherence rates were lower in the intensive care unit (ICU) (30–40%) than in other patient care areas (50–60%), lower among physicians (32%) than nurses (48%), and lower before patient contact (21%) than following contact with patients (47%)<sup>(7)</sup>
      - Reasons for poor adherence to proper hand hygiene practices include heavy workloads, lack of time, lack of access to resources, and complaints of dry, irritated, and sore skin on the hands<sup>(8,14)</sup>
      - Nursing students need better adherence to proper hand hygiene. Authors in a cross sectional study of 257 nursing students reported that only 82% of the hand surface was covered by alcohol-based hand rub when the students performed hand hygiene<sup>(13)</sup>
        - The authors found that the use of new handwashing techniques to include areas of the hands often omitted is beneficial and should be added to the nursing curriculum<sup>(13)</sup>



Record Dettagliato

Testo completo in PDF

Fonte: CINAHL Nursing Guide

Data: July 6, 2018

All'interno di quest'opera

Indice testo completo

1 - 5 | 6 - 7

Menopause: Risk for ...

Hand Hygiene

Hand Hygiene



Coding Matrix

References are rated using the following codes, listed in order of strength:

<b>M</b> Published meta-analysis	<b>RV</b> Published review of the literature	<b>PP</b> Policies, procedures, protocols
<b>SR</b> Published systematic or integrative literature review	<b>RU</b> Published research utilization report	<b>X</b> Practice exemplars, stories, opinions
<b>RCT</b> Published research (randomized controlled trial)	<b>QI</b> Published quality improvement report	<b>GI</b> General or background information/texts/reports
<b>R</b> Published research (not randomized controlled trial)	<b>L</b> Legislation	<b>U</b> Unpublished research, reviews, poster presentations or other such materials
<b>C</b> Case histories, case studies	<b>PGR</b> Published government report	<b>CP</b> Conference proceedings, abstracts, presentation
<b>G</b> Published guidelines	<b>PFR</b> Published funded report	

References

1. Aziz, A.-M. (2013). Skin care as an essential component of hand hygiene. *Dental Nursing*, 9(10), 32-41. (GI)
2. Biddle, C. (2009). Semmelweis revisited: Hand hygiene and nosocomial disease transmission in the anesthesia workstation. *AANA Journal*, 77(3), 229-237. (GI)
3. Boyce, J. M., & Pittet, D. (2002). Guideline for hand hygiene in health-care settings: Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. *MMWR. Recommendations and Reports: Morbidity and Mortality Weekly Report*, 51(RR-16), 1-45. (G)
4. Centers for Disease Control and Prevention. (2017, March 24). Clean hands count for health providers. Retrieved June 22, 2018, from <https://www.cdc.gov/handhygiene/providers/index.html> (G)
5. Crews, J. D., Whaley, E., Syblik, D., & Starke, J. (2013). Sustained improvement in hand hygiene at a children's hospital. *Infection Control and Hospital Epidemiology*, 34(7), 751-753. doi:10.1086/671002 (R)
6. Edmonds, S. L., Zapka, C., Kasper, D., Gerber, R., McCormack, R., Macinga, D., ... Gerding, D. N. (2013). Effectiveness of hand hygiene for removal of Clostridium difficile spores from hands. *Infection Control and Hospital Epidemiology*, 34(3), 302-305. doi:10.1086/669521 (R)
7. Erasmus, V., Daha, T. J., Brug, H., Richardus, J. H., Behrendt, M. D., Vos, M. C., & van Beeck, E. F. (2010). Systematic review of studies on compliance with hand hygiene guidelines in hospital care. *Infection Control and Hospital Epidemiology*, 31(3), 283-294. doi:10.1086/650451 (SR)
8. Harne-Britner, S., Allen, M., & Fowler, K. A. (2011). Improving hand hygiene adherence among nursing staff. *Journal of Nursing Care Quality*, 26(1), 39-48. doi:10.1097/NCQ.0b013e3181e0575f (R)
9. The Joint Commission. (2018). *Comprehensive accreditation manual: CAMH for hospitals*. Oakbrook Terrace, IL: The Joint Commission. (G)
10. Kinnula, S., Tapiainen, T., Renko, M., & Uhari, M. (2009). Safety of alcohol hand gel use among children and personnel at a child day care center. *American Journal of Infection Control*, 37(4), 318-321. doi:10.1016/j.ajic.2008.06.002 (R)
11. Lens, C., Lucchini, J. J., & Grascha, P. (2011). A scientific study that proves alcohol hand sanitiser is more efficacious when dispensed onto the hands as foam rather than as gel. *Canadian Journal of Infection Control*, 26(1), 21-25. (R)
12. Martischang, R., Pires, D., Masson-Roy, S., Saito, H., & Pittet, D. (2018). Promoting and sustaining a historical and global effort to prevent sepsis: The 2018 World Health Organization SAVE LIVES: Clean Your Hands campaign. *Critical Care*, 22, 92. doi:10.1186/s13054-018-2011-3 (G)
13. Öncü, E., Vay#so#lu, S. K., Lafc#, D., & Y#ld#z, E. (2018). An evaluation of the effectiveness of nursing students' hand hygiene compliance: A cross-sectional study. *Nurse Education Today*, 65, 218-224. doi:10.1016/j.nedt.2018.02.027 (R)
14. Randle, J., Arthur, A., & Vaughn, N. (2010). Twenty-four-hour observational study of hospital hand hygiene compliance. *Journal of Hospital Infection*, 76(3), 252-255. doi:10.1016/j.jhin.2010.06.027 (R)
15. Reality check: Joint Commission drops 90% hand hygiene compliance expectation. (2011). *Hospital Employee Health*, (May), 1-4. (GI)
16. Suchomel, M., Gnant, G., Weinlich, M., & Rotter, M. (2009). Surgical hand disinfection using alcohol: The effects of alcohol type, mode and duration of application. *Journal of Hospital Infection*, 71(3), 228-233. doi:10.1016/j.jhin.2008.11.006 (R)
17. World Health Organization. (2009). Guide to implementation: A guide to the implementation of the WHO multimodal hand hygiene improvement strategy. Retrieved June 22, 2018, from [http://apps.who.int/iris/bitstream/10665/70030/1/WHO\\_IER\\_PSP\\_2009.02\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/70030/1/WHO_IER_PSP_2009.02_eng.pdf) (G)
18. World Health Organization. (2009). WHO guidelines on hand hygiene in health care. Retrieved June 22, 2018, from [http://whqlibdoc.who.int/publications/2009/9789241597906\\_eng.pdf](http://whqlibdoc.who.int/publications/2009/9789241597906_eng.pdf) (G)
19. World Health Organization. (2018). Clean care is safe care. Retrieved June 22, 2018, from <http://www.who.int/gpsc/background/en/> (G)



Database **CINAHL Plus with Full Text--Quick Lessons**

## Descrizione patologia, eziologia, statistiche, sintomi, interventi

UNIVERSITA DEGLI STUDI  
DI BRESCIA

### Argomenti

Ricerca: CINAHL Plus with Full Text--Quick Lessons

Sfogliala

Ordine alfabetico    Ordinato per importanza

Pagina: [Precedente](#)   [Successivo](#) ▶

Selezionare una o più voci e fare clic su

- Achilles Tendinopathy
- Acoustic Neuroma 
- Acute Myocardial Infarction
- Acute Myocardial Infarction In Women
- Acute Respiratory Distress Syndrome (ARDS)
- Agitation
- Altitude Sickness
- Alzheimer's Disease
- Anorexia Nervosa
- Aplastic Anemia
- Appendectomy



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

UNIVERSITA DEGLI STUDI  
DI BRESCIA

Suggerisci soggetti

(QL "Acoustic Neuroma")

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾

Seleziona un campo (facoltativo) ▾

Cancela ?

AND ▾

Seleziona un campo (facoltativo) ▾



[Ricerca di base](#)   [Ricerca avanzata](#)   [Cronologia ricerche](#) ▶

### Filtra risultati

Ricerca attuale ▾

Booleano/frase:

(QL "Acoustic Neuroma")

Limita a ▾

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

2018   Data di pubblicazione   2018

Risultati della ricerca: 1 - 1 di 1

Rilevanza ▾   Opzioni pagina ▾

 Condividi ▾

>>

## 1. Acoustic Neuroma



Uribe, Lydia M.; Holle, Morgan Nicole; Pravikoff, Diane; *In: CINAHL Nursing Guide*; 2018 Feb 02; (Quick Lesson - CEU) AN: T700412

CE Module: [Acoustic Neuroma--CE Module](#)

Quick Lesson

**Argomenti:** Neuroma, Acoustic Diagnosis; Neuroma, Acoustic Epidemiology; Neuroma, Acoustic Etiology; Neuroma, Acoustic Risk Factors; Neuroma, Acoustic Symptoms; Neuroma, Acoustic Therapy



Testo completo in PDF



Pagina: 1





Record Dettagliato

Testo completo in PDF

Fonte: CINAHL Nursing Guide

Data: February 2, 2018

All'interno di quest'opera

Indice testo completo

1 - 5 | 6 - 10 | 11 - 11

Acoustic Neuroma



## QUICK LESSON

### Acoustic Neuroma

#### Description/Etiology

Acoustic neuroma (AN; also called vestibular schwannoma) is a benign slow-growing tumor of the vestibulocochlear (eighth cranial) nerve, which transmits sound and information for balance and equilibrium. The tumor is usually located at the cerebellopontine angle and affects the vestibular branch, but can also affect the cochlear branch. AN arises from abnormal proliferation of Schwann cells (i.e., cell sheaths around peripheral nerves). Tumor growth can cause unilateral tinnitus (i.e., ear ringing and buzzing) and hearing loss; impair balance; and compress adjacent nerves (facial, trigeminal, vagus, glossopharyngeal), reducing facial sensation and causing facial paralysis, taste disturbances, dysphagia, and hoarseness. Further tumor growth can compress the brainstem and increase intracranial pressure (ICP). A rare bilateral form of AN is associated with a mutation to the neurofibromatosis 2 (NF2) gene. NF2 is an autosomal dominant condition or can also occur as a spontaneous mutation and is characterized by multiple tumors on cranial and spinal nerves.

Diagnosis is based on imaging of the cerebellopontine angle (particularly with gadolinium-enhanced MRI). AN is usually unilateral and should be differentiated from Ménière disease, normal-pressure hydrocephalus, meningitis, head injury, and other intracranial tumors. Treatment options range from observation to invasive surgery or stereotactic radiotherapy; treatment is determined by the patient's age and life expectancy, rate of tumor growth, and tumor location and size. Serial observation is indicated for older patients with associated comorbidities, patients with small slow-growing tumors, and patients with minor signs and symptoms. Microsurgical removal is performed if hearing loss develops and/or if the tumor is large. Despite advances in operative techniques, surgical excision can produce complications (e.g., facial paralysis, balance dysfunction) that can reduce quality of life. Although stereotactic radiotherapy reduces the morbidity associated with more invasive approaches, tumors can regrow. Vestibular rehabilitation following tumor excision can improve balance. Overall prognosis is good, but tumor recurrence

ICD-9  
225.1



Stai cercando **Image Quick View Collection** Scegli database

Suggestisci soggetti

PET THERAPY

**Cerca** ?

[Ricerca di base](#)   [Ricerca avanzata](#)   [Cronologia ricerche](#)

UNIVERSITÀ DEGLI STUDI  
DI BRESCIA

### Opzioni di ricerca

Reimposta

#### Modalità di ricerca e espansori

##### Modalità ricerca ?

- Booleano/frase
- Trova tutti i termini della ricerca 
- Trova qualsiasi termine della ricerca
- Ricerca SmartText [Suggerimento](#)

##### Applica parole correlate

##### Applica argomenti equivalenti

#### Limita i risultati

##### Tipo di immagine

- |   |  |
|---|--|
| <input type="checkbox"/> Fotografia in bianco e nero  | <input type="checkbox"/> Cartina       |
| <input checked="" type="checkbox"/> Fotografia a colori  | <input type="checkbox"/> Diagramma     |
| <input type="checkbox"/> Grafico  | <input type="checkbox"/> Illustrazione |
| <input type="checkbox"/> Mappa  |  |

Raccolta visualizzazione rapida immagini ?

Cerca



Stai cercando: **Image Quick View Collection** | Scegli database

Suggerisci soggetti

PET THERAPY

Cerca 

[Ricerca di base](#)   [Ricerca avanzata](#)   [Cronologia ricerche](#) ▶

### Filtra risultati

#### Ricerca attuale ▾

Trova tutti i termini della ricerca:

[PET THERAPY](#)

#### Limitatori

Tipo di immagine:  Color Photograph

#### Limita a ▾

##### Tipo di immagine

- Fotografia in bianco e nero
- Cartina
- Fotografia a colori
- Diagramma
- Grafico
- Illustrazione
- Mappa

[Mostra di più](#)

[Opzioni impostate](#)

Risultati della ricerca: 1 - 50 di 396

Rilevanza ▾

Opzioni pagina ▾

»

Image found in article:

[Untitled.](#)



Tennessee Nurse, Spring2010, Vol. 73 Issue 1, p5-5, 1/9p, 1 Color Photograph, Database: Image Quick View Collection

Image Type: Color Photograph; found on p5

Image found in article:

[A Day in the Life: Maverick blazes pet therapy trail.](#)



McKnight's Long-Term Care News, Jun2018, Vol. 39 Issue 6, p73-73, 1/4p, 1 Color Photograph, Database: Image Quick View Collection

Image Type: Color Photograph; found on p73

Image found in article:

[Pet Therapy: Helping Patients Cope.](#)



By: GERTZ, ALIDA; RABINOWITZ, PETER M.. American Family Physician, 10/1/2017, Vol. 96 Issue 7, p464-464, 1p, 1 Color Photograph, Database: Image Quick View Collection

Image Type: Color Photograph; found on p464



Stai cercando: **Image Quick View Collection** | Scegli database

Suggestisci soggetti

PET THERAPY

Cerca

[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche](#)

### Filtra risultati

#### Ricerca attuale ▾

Trova tutti i termini della ricerca:

PET THERAPY

#### Limitatori

Tipo di immagine:  Color Photograph

#### Limita a ▾

##### Tipo di immagine

- Fotografia in bianco e nero
- Cartina
- Fotografia a colori
- Diagramma
- Grafico
- Illustrazione
- Mappa

Risultati della ricerca: 1 - 50 di 396

Data ▾ | Opzioni pagina ▾

Image found in article:

**Prognostic value of posttreatment <sup>18</sup>F-FDG PET/CT and predictors of metabolic response to therapy in patients with locally advanced cervical cancer treated with concomitant chemoradiation therapy: an analysis of intensity- and volume-based...**



By: Lima, Giacomo Maria; Matti, Antonella; Vara, Giulio; Dondi, Giulia; Naselli, Nicoletta; De Crescenzo, Eugenia Maria; Morganti, Alessio Giuseppe; Perrone, Anna Myriam; De Iaco, Pierandrea; Nanni, Cristina; Fanti, Stefano. *European Journal of Nuclear Medicine & Molecular Imaging*, Nov2018, Vol. 45 Issue 12, p2139-2146, 8p, 1 **Color Photograph**, 4 Charts, 1 Graph; DOI: 10.1007/s00259-018-4077-1, Database: Image Quick View Collection

Image Type: Color Photograph; found on p2142

Image found in article:

**Pet Space Design + Animal Therapy = A Happy Youngster And A Cool Pet Pad.**



By: SCHWAB, CHARLES M.. *Exceptional Parent*, Jul2018, Vol. 48 Issue 7, p30-34, 5p, 3 Color Photographs, 1 Chart, Database: Image Quick View Collection

Image Type: Color Photograph; found on p31

 Record Dettagliato Immagine ad alta  
risoluzione Articolo originale Testo completo in  
PDF

## Informazioni correlate

[◀ Elenco risultati](#) [Affina la ricerca](#) [◀ 2 di 396 ▶](#)

Pet Space Design + Animal Therapy = A Happy Youngster And A Cool Pet Pad. (cover story)

Autore: SCHWAB, CHARLES M.

Fonte: Exceptional Parent; Jul2018, Vol. 48 Issue 7, p30-34, 5p, 3 Color Photographs, 1 Chart  
Image: p31

Image Title: [untitled]



CARING FOR EACH OTHER: Designing the pet's environment will help the young person think through how to feed, clean and exercise the animal within its habitat. When your youngster assists in designing the animal's habitat, it helps nurture healthy emotions toward all living things.

Tipo di immagine: Color Photograph

ISSN: 00469157

Numero di sistema: 36560300

Database: Image Quick View Collection

Cite: [Come si cita questa immagine?](#)Permission: [Cosa si può fare con questa immagine?](#)

## Strumenti

 Google  
Drive Aggiungi  
alla cartella Stampa E-mail Salva Esporta Permalink Condividi

# Corrispondenza citazioni (1)



Stai cercando: CINAHL Plus with Full Text

UNIVERSITÀ DEGLI STUDI  
DI BRESCIA

## Corrispondenza citazioni ?

Reimposta

\* Questi campi supportano il carattere jolly (?) e il simbolo di troncamento (\*), ma non gli operatori booleani (AND, OR, NOT) né gli indicatori di campo (es. AN, PMID)

Pubblicazione \*

Data

specificare la data al meglio possibile (es. 2007)

Volume

Numero

Pagina iniziale

Autore \*

Titolo \*

Numero di sistema

Cerca

Strumento da utilizzare per la ricerca o la verifica di un riferimento bibliografico (equivalente a Single Citation Matcher in Pubmed)....



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

Suggestisci soggetti

(DT "2008") AND (VI "61") AND (IP "4") AND (SP "217")

Cerca 

[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche](#) ▶

Filtra risultati

Ricerca attuale ▾

Booleano/frase:

(DT "2008") AND (VI "61")  
AND (IP "4&quo...

Limita a ▾

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

2008      Data di pubblicazione      2008



[Mostra di più](#)

Risultati della ricerca: 1 - 1 di 1

Rilevanza ▾ | Opzioni pagina ▾ |  Condividi ▾

1. [Prevalence of biological exposure among nursing students: an observational study.](#) 



Pubblicazione  
e  
accademica

(includes abstract) Cicolini G; Di Labio L; Lancia L; Professioni Infermieristiche, 2008 Oct-Dec; 61(4): 217-222. (6p) (Journal Article - research, tables/charts) ISSN: 0033-0205 PMID: 19250618 AN: 105482734

Abstract. Blood-transmitted infections such as viral hepatitis B, or human immunodeficiency virus , are a real danger to health workers. Student nurses are also exposed to biological risks during their clinical training. This study was carried out to assess the incidence and nature of such risks in student nurses in Italy, evaluating all the cases of biological exposure in the G. D'Annunzio University Hospital of Chieti from 2002 to 2006. Student nurses were monitored for 6 months after exposure. A total number of 2047 students was observed; 665 first-year (32.49%), 691 second-year (33.76%) and 691 third-year (33.76%). During training a total of 135 (6.6%) instances of biological exposure occurred, average age 24.94 (R.19-45; SD 5.52), 99 females (73.3%). Although there was a lower incidence in third-year students (-27%), most of them occurred in the Medical Department (86 =63.7%). Needle pricks were the primary cause of exposure while the tabs used for measuring blood-sugar levels also represented a high risk. Although risks were lower in last-year students, it is clear that more attention should be paid to prevention , increasing awareness of infection control and monitoring biological exposure throughout the entire training period.

**Argomenti:** Cross Infection Prevention and Control; Students, Nursing; Female; Male

Numero citazioni in questo database: (3)



# Corrispondenza citazioni (2)

## Corrispondenza citazioni

Reimposta

\* Questi campi supportano il carattere jolly (?) e il simbolo di troncamento (\*), ma non gli operatori booleani (AND, OR, NOT) né gli indicatori di campo (es. AN, PMID)

Pubblicazione \*

Data

2018

specificare la data al meglio possibile (es. 2007)

Volume

Numero

Pagina iniziale

Autore \*

Titolo \*

comparison between the effects

Numero di sistema

Cerca

.... oppure per passare rapidamente da un riferimento bibliografico ricavato da un articolo stampato o ricevuto tramite DD, alla verifica della disponibilità dell'articolo in formato elettronico.

Filtra risultati

Ricerca attuale

Booleano/frase:

(DT "2018") AND (TI "comparison between the effect...")

Limita a

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

2018 Data di pubblicazione 2018

Mostra di più

Risultati della ricerca: 1 - 2 di 2

Rilevanza Opzioni pagina Condividi

1. Comparison between the Effects of Oral and Intramuscular Administration of Shin'iseihaito (Xinyiqingfeitang) in a Streptococcus pyogenes-Induced Murine Sinusitis Model.



Pubblicazione accademica

(includes abstract) Minami, Masaaki; Konishi, Toru; Takase, Hiroshi; Makino, Toshiaki; Evidence-based Complementary & Alternative Medicine (eCAM), 5/2/2018; 2018 1-8. (8p) (Article - pictorial, research, tables/charts) ISSN: 1741-427X AN: 129397128

Abstract: *Streptococcus pyogenes* (*S. pyogenes*) is a species of Gram-positive coccoid bacteria having many virulence factors. Its capsule and exotoxins can cause upper respiratory tract infections such as sinusitis. The general treatment for *S. pyogenes*-induced sinusitis is administration of antibiotics such as penicillin and macrolides; however, a serious problem associated with these antibiotics is their attenuated effect. Shin'iseihaito (Xinyiqingfeitang), a formula of Japanese traditional Kampo medicine and traditional Chinese medicine, has been used for the treatment of sinusitis. In general, formulas of Japanese traditional Kampo medicine are orally administered. This is in contrast to certain formulas of traditional Chinese medicine, which are being recently administered intramuscularly or intravenously. Regarding these traditional Chinese medicine formulas, the injection methodology is reported to be more effective than oral intake. In this study, we compared the efficacy between orally and intramuscularly administered Shin'iseihaito against *S. pyogenes*-induced sinusitis. We evaluated the antibacterial effect of Shin'iseihaito extract (SSHT) against *S. pyogenes* by K-B disk diffusion assay. Furthermore, we investigated the nasal colonization of *S. pyogenes*, determined cytokine (TNF- $\alpha$ , IL-1 $\beta$ , and IL-6) levels, and conducted a splenocyte proliferative assay in a murine sinusitis model. SSHT displayed direct anti-*S. pyogenes* activity. Intramuscular administration of SSHT decreased the nasal colonization of *S. pyogenes* compared with oral administration. Thymidine uptake analysis revealed that the proliferation of splenocytes from *S. pyogenes*-infected mice under intramuscular SSHT treatment was upregulated compared to that of splenocytes from *S. pyogenes*-infected mice under oral SSHT treatment. We also found that TNF- $\alpha$ , IL-1 $\beta$ , and IL-6 levels in the nasal discharge from intramuscularly treated *S. pyogenes*-infected mice were lower than those from orally treated mice. Our findings suggest that intramuscular administration of Shin'iseihaito may be useful for the treatment of murine *S. pyogenes*-induced sinusitis.

**Argomenti:** Sinusitis Drug Therapy; Drugs, Chinese Herbal Administration and Dosage; Streptococcus Drug Effects; Drugs, Chinese Herbal Pharmacodynamics; Microbial Culture and Sensitivity Tests; Bacterial Colonization Drug Effects; Cytokines Blood; Biological Assay Methods; Nasal Mucosa Drug Effects; Inflammation Mediators Drug Effects; Administration, Oral; Injections, Intramuscular

Testo completo in HTML
  Testo completo in PDF
  S-P-X



2. A comparison between the effects of ginger, pyridoxine (vitamin B6) and placebo for the treatment of the first trimester nausea and vomiting of pregnancy (NVP).



Pubblicazione accademica

(includes abstract) Sharifzadeh, Fatemeh; Kashanian, Maryam; Koochpayehzadeh, Jalil; Rezaian, Fatemeh; Sheikhsani, Narges; Eshraghi, Nooshin; Kouhpayehzadeh, Jalil; Journal of Maternal-Fetal & Neonatal Medicine, Oct2018; 31(19): 2509-2514. (6p) (Article) ISSN: 1476-7058 PMID: 28829250 AN: 130445920

Abstract: **Introduction:** Nausea and vomiting of pregnancy (NVP) are one of the most common complains of the early pregnancy period and are bothersome for pregnant women. Some prefer to use herbal medicine instead of chemical agents. **Objective:** The purpose of the present study was to compare the effects of ginger, pyridoxine (vitamin B6), and placebo for the treatment of NVP. **Method:** The study was performed as a triple blind clinical trial on pregnant women suffering mild to moderate NVP between 6 and 10 weeks of pregnancy. In these women ginger, 500 mg twice daily, vitamin B6 40 mg twice daily and placebo twice daily were administered for 4 d. Rhodes questionnaire was used for evaluation of the severity of symptoms. The severity of NVP was evaluated 24 h before entering the study and up to 4 d after using medications and results were compared among the three groups. **Results:** Seventy-seven women finished the study (28 in the Ginger group, 26 in the B6 group, and 23 in the placebo group). The women of the three groups did not have significant differences according to age, gestational age, parity, and severity of each symptom before treatment and educational status. Total score of Rhodes questionnaire for nausea was decreased significantly in three groups after treatment. ( $p < .001$ ,  $p = .012$ , and  $p = .03$  for ginger, vitamin B6, and placebo, respectively.) Also total score of Rhodes questionnaire for vomiting was decreased in three groups ( $p = .03$  for ginger,  $p = .02$  for B6, and  $p = .04$  for placebo). Ginger and vitamin B6 could reduce the severity of all items of Rhodes questionnaire significantly; however, placebo was significantly effective only on the frequency of nausea, intensity of vomiting and frequency of retching. Ginger and vitamin B6 were more effective than placebo for nausea (intensity and distress) and distress of vomit. **Conclusion:** Ginger is more effective than placebo for the treatment of mild to moderate

# Moduli CE (Continuing Education)

EBSCOhost UNIVERSITA DEGLI STUDI DI BRESCIA

Stai cercando: [CINAHL Plus with Full Text](#) | [Scegli database](#)

Suggestisci soggetti

Seleziona un campo (facoltativo) -

**Cerca** ← **2**

Seleziona un campo (facoltativo) -

AND -  Seleziona un campo (facoltativo) -

AND -  Seleziona un campo (facoltativo) -

[Ricerca di base](#) [Ricerca avanzata](#) [Cronologia ricerche](#)

---

Opzioni di ricerca

**Unità didattiche finalizzate all'aggiornamento professionale**

**Modalità di ricerca e espansori**

**Modalità ricerca** ?

Booleano/frase

Trova tutti i termini della ricerca

Trova qualsiasi termine della ricerca

Ricerca SmartText [Suggerimento](#)

**Applica parole correlate**

**Cerca anche nel testo completo degli articoli**

**Applica argomenti equivalenti**

---

**Limita i risultati**

**Testo completo**

**Riassunto disponibile**

**Autore**

**Lingua inglese**

**Articolo di ricerca**

**Includi solo Pre-CINAHL**

**Modulo CE** ← **1**

**Riferimenti disponibili**

**Data di pubblicazione**

Mese  Anno:  - Mese  Anno:

**Pubblicazione**

**Rivisti da esperti**

**Escludi Pre-CINAHL**

**Escludi record MEDLINE**

**Assistenza basata su prove di efficacia**



Stai cercando: **CINAHL Plus with Full Text** | Scegli database

UNIVERSITA DEGLI STUDI DI BRESCIA

Suggestisci soggetti

Seleziona un campo (facoltativo) ▾

Cerca

AND ▾

Seleziona un campo (facoltativo) ▾

Cancella ?

AND ▾

Seleziona un campo (facoltativo) ▾



[Ricerca di base](#) | [Ricerca avanzata](#) | [Cronologia ricerche](#)

### Filtra risultati

Ricerca attuale ▾

#### Limitatori

Modulo CE

Limita a ▾

- Testo completo
- Riferimenti disponibili
- Riassunto disponibile

2016 Data di pubblicazione 2018



[Mostra di più](#)  
[Opzioni impostate](#)

Tipi di documento ▾

- Tutti i risultati
- CEU (Moduli di unità formative) (170)
- Lezioni rapide (112)
- Lezioni rapide (112)
- Fogli informativi basati su

Risultati della ricerca **1 - 50 di 170**

Rilevanza ▾ | Opzioni pagina ▾ | [Condividi](#) ▾

## 1. Acute Myocardial Infarction in Women



Quick Lesson

Barous, Teresa; Oji, Obiamaka; Pravikoff, Diane; *In: CINAHL Nursing Guide*; 2018 Jul 06; (Quick Lesson - CEU) AN: T701513  
CE Module: **Acute Myocardial Infarction in Women--CE Module**

**Argomenti:** Myocardial Infarction Diagnosis; Myocardial Infarction Epidemiology; Myocardial Infarction Etiology; Myocardial Infarction Risk Factors; Myocardial Infarction Symptoms; Myocardial Infarction Therapy; Women; Female

[Testo completo in PDF](#)

## 2. Basal Cell Carcinoma



Quick Lesson

Holle, Morgan Nicole; Engelke, Zeena; Pravikoff, Diane; *In: CINAHL Nursing Guide*; 2018 Jun 29; (Quick Lesson - CEU) AN: T700425  
CE Module: **Basal Cell Carcinoma--CE Module**

**Argomenti:** Carcinoma, Basal Cell Diagnosis; Carcinoma, Basal Cell Epidemiology; Carcinoma, Basal Cell Etiology; Carcinoma, Basal Cell Risk Factors; Carcinoma, Basal Cell Symptoms; Carcinoma, Basal Cell Therapy; Patient Education

[Testo completo in PDF](#)

## 3. Disseminated Intravascular Coagulation (DIC)



Schub, Eliza; Balderrama, Debra; Pravikoff, Diane; *In: CINAHL Nursing Guide*; 2018 Jun 29; (Quick Lesson - CEU) AN: T701214  
CE Module: **Disseminated Intravascular Coagulation (DIC)--CE Module**

## Welcome to CINAHLeducation.

The CINAHLeducation program provides nursing, social work, and allied health professionals a convenient way to obtain their certificates of completion for continuing education required by the states in which they practice or the facilities in which they work. These interactive modules allow health professionals to satisfy CE requirements online. Each module consists of course material, an interactive review, a competency test, and a module evaluation. A certificate is awarded upon satisfactory completion of the competency tests. Completion requirements are provided in each module.

If you are a **NEW** user and have not registered before, please [click here to pre-register](#).

If you are a **RETURNING** user, log in using the form below:

Email Address:

I forgot my [email address](#).

Password:

I forgot my [password](#).

I lost my [activation email](#).

Continuing education modules are provided free to you with your facility's subscription to one of the EBSCO nursing and allied health products: CINAHL Complete, CINAHL Plus, CINAHLPlus with Full Text, Nursing Reference Center, Nursing Reference Center with Patient Education Reference Center, Nursing Reference Center Plus, Rehabilitation Reference Center, Social Work Reference Center, and Nutrition Reference Center.

If there is a conflict of interest with potential influencing relationships for planners or authors for any continuing education module, a statement disclosing that fact will be displayed for the appropriate continuing education module.

For information about **technical requirements, accreditation, and other important information**, please visit our [FAQ section](#).



EBSCO Help - Internet Explorer  
http://support.ebsco.com/help/index.php?help\_id=DB:251

# EBSCOhost

Print Close

Enter keyword  
All words ▾  
Search

## CINAHL Plus with Full Text

Welcome to the CINAHL Plus with Full Text Database Information Screen! To find what you are looking for, browse the topics listed below.

- [\[About the Database\]](#)
- [\[Searching Tips\]](#)
- [\[Searchable Fields\]](#)
- [\[Definition of Fields\]](#)
- [\[CINAHL Subject Headings\]](#)
- [\[Free Floating Subheadings\]](#)
- [\[Evidence-Based Practice Limiter\]](#)
- [\[Clinical Queries Limiter\]](#)
- [\[Publications Authority File\]](#)
- [\[Index Browse\]](#)
- [\[Reference Browsing\]](#)
- [\[Copyright and Restrictions of Use\]](#)
- [\[Where to Send Your Comments\]](#)

### About the Database


#### CINAHL Plus with Full Text

CINAHL Plus with Full Text is a robust collection of full text for nursing & allied health journals, providing full text for more than 760 journals indexed in CINAHL®. Of the 760, 1 are not found with full text in any version of Academic Search™, Health Source® or Nursing & Allied Health Collection™. This authoritative file provides full text for many of the most used journals in the CINAHL index, with no charge. With full-text coverage dating back to 1937, CINAHL® Plus with Full Text is a core research tool for all areas of nursing and allied health literature.

CINAHL® Plus with Full Text also provides indexing for more than 5,000 journals from the fields of nursing and allied health. The database contains more than 4 million records dating back to 1937. Offering complete coverage of English-language nursing journals and publications from the National League for Nursing and the American Nurses' Association, CINAHL® Plus with Full Text covers nursing, biomedicine, health sciences librarianship, alternative/complementary medicine, consumer health and 17 allied health disciplines. In addition, this database offers access to health care books, nursing dissertations, selected conference

UNIVERSITA DEGLI  
DI BRU

A partire da «Guida» abbiamo modo in qualsiasi momento di accedere al «Database help» scorrendo verso il basso la colonna di sinistra



Opzioni

Mod

Mod

Limit

Ter

Ria

Aut

# La ricerca bibliografica: consigli

- **Scegliete la banca dati / le banche dati più appropriata/e** alle vostre esigenze (che possono variare nel tempo e/o con lo svilupparsi della tesi).
- **Formulate il quesito scientifico oggetto della ricerca nel modo più chiaro possibile**, scomponendo l'argomento in tanti concetti chiave correlati tra di loro e individuando i termini adeguati e corretti in lingua inglese. Modello PICO.
- **Siate aperti e disponibili**, via via che il vostro lavoro procede e le vostre conoscenze in materia si fanno più approfondite, **a rivedere e ricalibrare la ricerca bibliografica fatta preliminarmente**.
- **Non restringete eccessivamente la ricerca in fase iniziale**, potreste ritrovarvi frustrati per aver ottenuto un numero limitato di documenti.
- **Sfruttate al meglio le bibliografie di lavori già reperiti....** Se il contenuto di quegli articoli «centra» il vostro argomento, le bibliografie contenute saranno in buona percentuale pertinenti!

# Il modello P.I.C.O.

E' costituito da quattro elementi che vengono messi in relazione per formulare in modo appropriato il quesito di ricerca

- P = paziente/popolazione/problema
- I = intervento
- C = confronto/controllo
- O = outcome (esito)

# Risorse per CDL Infermieristica

- <http://www.ipasvi.roma.it/ita/ilisi/index.php>
- <http://brescia.ipasvibs.it/>
- <http://www.evidencebasednursing.it/>
- <http://www.fnopi.it/>
- <https://www.tripdatabase.com/>

# Risorse per CDL Dietistica

- <http://www.salute.gov.it/>
- [http://www.salute.gov.it/portale/temi/p2\\_4.jsp?lingua=italiano&tema=Alimenti&area=nutrizione](http://www.salute.gov.it/portale/temi/p2_4.jsp?lingua=italiano&tema=Alimenti&area=nutrizione)
- <http://nut.entecra.it/>
- <http://www.bda.uk.com>

# Risorse per CDL Fisioterapia

- <https://www.pedro.org.au/italian/>
- <http://health.uottawa.ca/rehabguidelines/en/login.php>
- <http://www.unisa.edu.au/cahe/>
- <https://www.wcpt.org/policy/ps-EBP>



## Sistema Bibliotecario di Ateneo

- [> Organizzazione](#)
- [> Servizi](#)
- [> Cerca e trova risorse](#)
- [> Relazioni e statistiche](#)
- [> Biblioteca di Economia e Giurisprudenza](#)
- [> Biblioteca di Ingegneria](#)
- ▼ Biblioteca di Medicina**
  - [> Presentazione](#)
  - [> Elenco personale](#)
  - [> Patrimonio](#)

[Guide e materiali informativi >](#)

Home > Biblioteche > Biblioteca di Medicina

## Guide e materiali informativi - Biblioteca di Medicina

In questa pagina sono disponibili guide e materiali informativi sulle risorse cartacee ed elettroniche della biblioteca e sui servizi erogati.

Alcuni documenti sono in fase di revisione e/o aggiornamento.

### Presentazioni:

- [I servizi bibliotecari: presentazione e istruzioni per l'uso - 22.02.2018](#)
- [Introduzione alla Cochrane Library - 12.04.2018](#)
- [Introduzione alla ricerca bibliografica in PubMed - 18.10.2018](#)

### Pieghevoli:


- [Biblioteca di Ingegneria e Medicina. Sede di Medicina](#)

- [Futuro studente](#)
- [International students](#)
- [Studenti e Laureati](#)
- [Personale docente](#)
- [Personale tecnico amministrativo](#)
- [Aziende ed enti](#)

### Pagine Correlate

- [> Cerca e trova risorse - Sistema Bibliotecario di Ateneo](#)

Le diapositive presentate durante gli incontri formativi vengono in seguito pubblicate nella sezione «Guide e materiali informativi» del portale



Getting information off the  
Internet is like taking a  
drink from a fire hydrant.

Mitchell Kapor



# ***INTRODUZIONE ALLA RICERCA BIBLIOGRAFICA in CINAHL***

Novembre 2018

**Vi ringrazio per l'attenzione**

Nicoletta Lumina

